



# Palmer Mirro-Mastic ®

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 06/26/2023

Revision date: 06/26/2023

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Palmer Mirro-Mastic ®  
Product code : Not available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Mirror Adhesive

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Palmer Products Corporation  
146 St. Matthews Avenue  
Louisville, KY 40207 - USA  
T 502.893.3668  
[palmer@mirro-mastic.com](mailto:palmer@mirro-mastic.com)

#### 1.4. Emergency telephone number

Medical Emergency Phone Number : (CHEMTREC): 1-800-424-9300 (24 Hours)  
Transport Emergency Phone Number : (CHEMTREC): 1-800-424-9300 (24 Hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-CA classification

Flammable Liquid 4 H227

Full text of H-statements: see section 16

#### 2.2. Label elements

##### GHS-CA labelling

Signal word (GHS-CA) : Warning  
Hazard statements (GHS-CA) : H227 - Combustible liquid.  
Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P403 - Store in a well-ventilated place.  
P501 - Dispose of contents or container in accordance with local, regional, national, international regulations.

#### 2.3. Other hazards

No additional information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable.

#### 3.2. Mixture

Name	Product identifier	%	GHS-CA classification
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	11	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Limestone	(CAS No) 1317-65-3	8	Not classified.
Cellulose microcrystalline	(CAS No) 9004-34-6	8	Comb. Dust, H232
Quartz	(CAS No) 14808-60-7	0.808	Carc. 1A, H350 <sup>1</sup> STOT RE 1, H372 <sup>1</sup>

<sup>1</sup>Only applies to airborne particles of respirable size

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

# Palmer Mirro-Mastic ®

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Powder, water spray, foam, carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid. Products of combustion may include, and are not limited to: oxides of carbon.

### 5.3. Advice for firefighters

- Protection during firefighting : Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain and absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

### 6.4. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing dust, fume, gas, mist, vapours, and spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Limestone (1317-65-3)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust)
Cellulose microcrystalline (9004-34-6)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable fraction)
IDLH	US IDLH (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup> (respirable dust)
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable dust)

### 8.2. Exposure controls

- Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

# Palmer Mirro-Mastic ®

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Hand protection	:	None necessary under normal conditions of use. Wear gloves if handling large quantities.
Eye protection	:	Safety glasses or goggles are recommended when using product.
Skin and body protection	:	None necessary under normal conditions of use.
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	:	Maintain levels below community environmental protection thresholds.
Other information	:	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Heavy Paste
Colour	:	Black
Odour	:	Solvent
Odour threshold	:	No data available
pH	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	71.1 °C (160 °F)
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Flammable
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	1.2
Solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Log Kow	:	No data available
Viscosity, kinematic	:	> 20.5 cSt
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

#### 9.2. Other information

No additional information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition

#### 10.5. Incompatible materials

Strong acids. Oxidizers.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified.

<b>Palmer Mirro-Mastic ®</b>	
LD50 oral rat	> 2000 mg/kg

# Palmer Mirro-Mastic ®

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Palmer Mirro-Mastic ®	
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 20 mg/l/4h
Petroleum distillates, hydrotreated light (64742-47-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 5.2 mg/l/4h
Limestone (1317-65-3)	
LD50 oral rat	6450 mg/kg
Cellulose microcrystalline (9004-34-6)	
LD50 oral rat	>5000 mg/kg
LD50 dermal rabbit	>2000 mg/kg
LC50 inhalation rat	>5800 mg/m <sup>3</sup> /4h

Skin corrosion/irritation : Based on available data, the classification criteria are not met.  
Serious eye damage/irritation : Based on available data, the classification criteria are not met.  
Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.  
Germ cell mutagenicity : Based on available data, the classification criteria are not met.  
Carcinogenicity : Based on available data, the classification criteria are not met.

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans (airborne particles of respirable size)
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens (airborne particles of respirable size)

Reproductive toxicity : Based on available data, the classification criteria are not met.  
Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.  
Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.  
Aspiration hazard : Based on available data, the classification criteria are not met.  
Symptoms/injuries after inhalation : May cause respiratory tract irritation.  
Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.  
Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.  
Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

### 12.2. Persistence and degradability

Palmer Mirro-Mastic ®	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

Palmer Mirro-Mastic ®	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available.

### 12.5. Other adverse effects

No additional information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.  
Additional information : Handle empty containers with care because residual vapours are flammable.

## SECTION 14: Transport information

### Transport of Dangerous Goods (TDG)

In accordance with TDG  
Not regulated for transport.

# Palmer Mirro-Mastic ®

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 15: Regulatory information

#### Petroleum distillates, hydrotreated light (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Limestone (1317-65-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### Cellulose microcrystalline (9004-34-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

### SECTION 16: Other information

Date of issue : 06/26/2023

Indication of changes : None.

Other information : None.

Full text of H-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Comb. Dust	Combustible Dust
Flam. Liq. 3	Flammable liquids, Category 3
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H226	Flammable liquid and vapour
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*