# SHOP SUPPLIES For your everyday needs



000000

<complex-block>

ADHESIVES CUTTERS FINISHING PRODUCTS GLOVES HAND TOOLS LEVELERS NAILERS PACKAGING SANDERS RESPIRATORS SEALANTS STAPLERS TAPES





# **SHOP SUPPLIES**

Richelieu presents a catalog featuring an outstanding selection of shop supplies that you need on a daily basis. This new catalog is easy to use and covers the most popular products across our entire range, such as sealers, adhesives, tools, tapes, packing supplies and much more. You'll want to consult it often. You're sure to find the products you need, plus save yourself time and money.

# Place your order today online at www.Richelieu.com

Table of contents	
ADHESIVES, SEALANTS AND ACCESSORIES Mitre Pro & Fastcap Adhesives	
Titebond Adhesives	A4
LionGrip Adhesives	A5 - A7
Accessories for Adhesives Adhesives & Silicone Sealants	A9
Video: 100% Silicone Sealant	A9
ABRASIVES	B10 - B14
Steel Wool, Sanding Sheets & SpongesSanding Discs	B10 
Sanders & Sanding Sheets	B13 - B14
TOOLS	
Nailers & Staplers	C15 - C17
Video : Headless Pinner - 23 gauge Nails & Staples	
Compressors & Accessories	C19
Hole Saws & AccessoriesUniversal Blades	C20 - C21
Circular Saw & Blades	C23
Bits	C24 - C25
Jig Saws & Blades Other Tools & Accessories	C26 - C27 C27 - C28
Splines & Dowels	C28
Video : Dowelmax Classic Kit Cutters, Trimmers & Files	
Hand Tools	C32
Video : Gorilla Grippers Screwdrivers	C32
Video: Angle Driver for Screwdriver Bits Tool Cases	C34
Tool Cases	C34
Measuring Tapes	
FINISHING PRODUCTS Wood Fillers	
Touch-Up Products	D36 - D37
Videos: Mohawk Touch-Up Markers Video: "Blendal Sticks" Color Replacement	D36
Oils, Lacquers & Sealers	D37
WORKSHOP SUPPLIES	
3M Tapes	E39
Protection Blankets Brushes & Scrapers	
Rags, Rollers & Trays	E41
Paint Preparation System	E42 - E43
SAFETY	
Dust Masks Respirators & Filters	
Eve Protection	F46 - F48
Hearing Protection Head Protection	F48 - F49 F49
Gloves	F50 - F52
Protective Clothing	F53
WORK SUPPORT	G54 - G59
Work Support Accessories Video : Handling Trolley	G54 - G56
Video : LegUp Table Saw Panel-Lifting Accessory	G56
Jigs & Rollers Video : Precision Jig Systems	G57
Measuring & Layout	G58
Measuring & Layout	G58
Caulking Guns & Drying System Video : Sun-Spot Drying Thermoreactor System	G59 G59
MAINTENANCE AND PACKAGING PRODUCTS	
Lubricants & Cleaners	H60 - H62
Soap & Dispensers	H62
Packaging Spunlace & Spunlace Dispensers	ноз
Paper Towels & Paper Dispensers	H65



# Mitre-Pro

High-viscosity adhesive system for bonding where large gap fill is important or where materials are absorbent.

NO.	DESCRIPTION	VOLUME
099606A	ACTIVATOR	6.76 OZ (200 ML)
099606GT	GLUE (Thin viscosity)	1.76 OZ (50 G)
099606G	GLUE (Medium viscosity)	1.76 OZ (50 G)

The activator does not affect PVC plastics.

## Instant 2P-10 Adhesive

2P-10 is a two-part ten-second adhesive. Just apply the adhesive, then spray the activator and stick it together for a strong, permanent bond. 10 second bonding! 30 seconds to cure.

NO.	VISCOSITY	VOLUME
916499	THIN	2.25 OZ (66.54 ML)
916438	MEDIUM	2.25 OZ (66.54 ML)
916496	THICK	2.25 OZ (66.54 ML)
9164311	JEL	2.25 OZ (66.54 ML)
916442	DEBONDER	2 OZ (59.15 ML)
916440	ACTIVATOR	2 OZ (59.15 ML)
918842	THIN	8 OZ (236.59 ML)
916428	MEDIUM	10 OZ (295.74 ML)
916429	THICK	10 OZ (295.74 ML)
916431	JEL	10 OZ (295.74 ML)
916453	ACTIVATOR	10 OZ (295.74 ML)
918850	JEL	10.14 OZ (300 ML)
RUBBER TOUG	HENED	
916467	THICK	2.25 OZ
916469	THICK	10 OZ
916461	JEL	2.25 OZ
916465	JEL	10 OZ

## **Aerosol Activator**

10 second bonding	! 30 seconds to cure.	
NO.	DESCRIPTION	VOLUME
916453	2P-10 AEROSOL	12 OZ (354.88 ML)

# Instant 2P-10 Adhesive Kit

#### Includes :

- 1 × 2.25 oz Medium
- 1 × 2.25 oz Thick
- 2 × 2 oz Activators
   1 × 2 oz Debonder

# • 1 × 2.25 oz Jel

 NO.
 DESCRIPTION

 Q2P10KIT
 KIT

# **2P-10 Adhesive Colorant Kit**

This new high-tech adhesive colorant is specifically made to work with the 2P-10 system and allows you to mix exactly the right tint of 2P-10 filler in seconds. The 2P-10 colorants provide filling perfection in a matter of minutes. This colorant is extremely effective on all surfaces.

NO.	DESCRIPTION	
918856	ADHESIVE COLORANT KIT	

All products are sold by unit except those shown with an \*. These are sold by box.















ichelieu.com



Titebond Original Wood Glue is the industry standard for woodworking. Ideal for wood, hardboard, particleboard, leather, cloth, and most other porous materials. Titebond Original is non-toxic, easy to use, and cleans up with water. Unaffected by finishes

- Fast setting to shorten clamp time Bonds stronger than wood
- Excellent heat and solvent resistance
- Excellent sandability
- Versatile: bonds wood, hardboard, high pressure laminates and particleboard
- Fasy clean-up with water

		isy clean up with water
NO.	VOLUME	QTY/BOX
15005066	3.79 L (1 GALLON)	2
15005067	18.93 L (5 GALLONS)	1

#### **Titebond II Fluorescent Wood Glue**

Titebond II Fluorescent contains a dye that, when viewed under a black light, enables woodworkers to inspect the glue line and assist in the cleanup process.

- Passes ANSI Type II water resistance
- Fast-setting, shortening clamp time • Ideal for radio frequency (R-F) gluing systems
- Versatile: bonds wood, hardboard, high pressure laminates, and particleboard
- Easy cleanup with water
- Excellent heat and solvent resistance **OTY/BOX** NO. VOLUME 15002316 3.79 L (1 GALLON) 2 15002317 18.93 L (5 GALLONS) 1

## **PVA Glue - Titebond Extend Wood Glue**

A slower setting version of Titebond Original Wood Glue; offers superior performance in a broad range of applications, including edge and face gluing.

- Slow drving Recommended for indoors
- Open assembly time: 11 to 30 minutes Dried Film : Yellow
- Colory Vollow

NO.	VOLUME	QTY/BOX	
15009106	3.79 L (1 GALLON)	2	
15009107	18.93 L (5 GALLONS)	1	

#### **PVA Glue - Titebond II Extend Wood Glue**

Titebond II Extend Wood Glue combines weatherproof performance (ANSI Type II water-resistance) with a slower speed of set. For all types of wood, agglomerate, MDF, plywood and other porous materials.

- Slow drying
- Recommended for outdoors
- Open assembly time: 11 to 30 minutes
- Open time under pressure: 30 minutes and more

<ul> <li>Color: Off White</li> </ul>	hite • Dried Film : White	
NO.	VOLUME	QTY/BOX
15004136	3.79 L (1 GALLON)	2
15004137	18.93 L (5 GALLONS)	1

#### **PVA GLUE - Titebond III Ultimate Wood Glue**

Safer to use than traditional waterproof wood glues, Titebond III is non-toxic, solvent-free, and cleans up with water.

- Recommended for outdoors and indoors
- Dried Film: Light Brown
- Open assembly time: 6 to 10 minutes
- Color: Havana Open time under pressure: 11 to 20 minutes NO. VOLUME QTY/BOX 15001414 473.18 ML (16 OZ) 12 Waterproof 15001415 946.35 ML (32 OZ) 6 2 15001416 3.79 L (1 GALLON) 15001417 18.93 L (5 GALLONS) 1





A4









## **PVA Glue - Titebond White Glue**

Titebond White Glue is an exceptionally strong, economical white glue that sets faster than most other comparable glues.

- General use glue
- Open assembly time: 1 to 5 minutes
- Recommended for indoors
- Dried Film : Clear
- Color: White

NO.	VOLUME	QTY/BOX
150015026	3.79 L (1 GALLON)	2
15005027	18.93 L (5 GALLONS)	1

# Brush and Roller Adhesive - LIONGRIP R505

Particularly suitable for environments where climatic conditions and ambient temperatures normally make bonding difficult.

- Resistant to high temperatures Open time: 60 minutes Multipurpose • Dry time : 5 to 10 minutes NO. COLOR VOLUME R505411L NATURAL 3.79 L (1 GALLON) R5052011L NATURAL 18.93 L (5 GALLONS)

# High-Performance Adhesive Spray - LIONGRIP R517

Ideal choice for most permanent adhesive applications on a wide variety of substrates.

- Resistant to high temperatures
- Highly resistant to tearing and shearing

- Flexible
  - Open time: 60 minutes

<ul> <li>vvaterproof</li> </ul>		• Dry time: 3 to 5 minutes
NO.	COLOR	VOLUME
R5172011L	NATURAL	18.93 L (5 GALLONS)
R5172080L	RED	18.93 L (5 GALLONS)
R5175411L	NATURAL	204.41 L (54 GALLONS)
R5175480L	RED	204.41 L (54 GALLONS)

# High-Solids, Low-VOC Adhesive Spray - LIONGRIP R250

LIONGRIP R250 is a high solid contact adhesive for HPL, countertop. Open time: up to 60 minutes • Dry time: 4 to 6 minutes

NO.	COLOR	VOLUME
R2502011L	NATURAL	18.93 L (5 GALLONS)
R2502080L	RED	18.93 L (5 GALLONS)
R2505411L	NATURAL	204.41 L (54 GALLONS)
R2505480L	RED	204.41 L (54 GALLONS)

# Adhesive Cleaner - LIONGRIP RS020

Dissolves fresh or dry adhesive from laminates or other surfaces. Can also be used to clean tools and equipment such as sprayers, brushes, rollers, and containers.

NO.	VOLUME
RS02020L	18.93 L (5 GALLONS)

## **Multi-Purpose Citrus Adhesive Remover**

LIONGRIP RCCAR is a cleaner and adhesive remover. It may be used to remove adhesives, grease, decal residue, soap film and much more.

NO.	COLOR	VOLUME	
RCCAR13C	CLEAR	13 OZ	
RCCAR09C	TRANSPARENT	9 LB	

All products are sold by unit except those shown with an \*. These are sold by box.











ichelieu.com



Adhesive







## PVA Glue - Liongrip 1000 - White Glue

This general purpose woodworking adhesive is for general wood assembly and edge gluing of soft and hard wood species.

- Fast gripping action with less slippage
- Robust and durable glue line
- Excellent sandability •
- · Medium to long open time
- Fluorescent

NO.	VOLUME	QTY/BOX
R1000130	3.79 L (1 GALLON)	4
R1000530	18.93 L (5 GALLONS)	1
R10004530	170.34 L (45 GALLONS)	1



LIONGRIP

# PVA Glue - Liongrip 2000 -Moisture Resistant/Butcher Block Glue

Specifically formulated for applications where Type II water resistant bonds are required. Well suited for automated finger jointers and all roll coaters for flat laminations of veneer or High Pressure Laminates (HPL). Also recommended for edge-gluing on Radio Frequency Presses (RF).

- Meets ASTM 5572 TYPE II interior use water resistance
- Meets ASTM E2074 fire rating for interior flush doors assemblies up to 90 minutes
- NSF51 certified for food contact
- Fluorescent

NO.	VOLUME	QTY/BOX
R2000130	3.79 L (1 GALLON)	4
R2000530	18.93 L (5 GALLONS)	1
R20004530	170.34 L (45 GALLONS)	1

#### PVA Glue - Liongrip 3000 - Yellow Glue

This general purpose yellow carpenter's glue is specifically formulated for cabinet and furniture assembly and panel edge gluing.

- · Fast gripping action with less slippage
- Very hard glue line
- Excellent sandability
- Fast drying time
- Fluorescent

NO.	VOLUME	QTY/BOX
R3000111	3.79 L (1 GALLON)	4
R3000511	18.93 L (5 GALLONS)	1
R30004511	170.34 L (45 GALLONS)	1



#### PVA Glue - Liongrip 5000 - High Performance **Hardwood Glue**

Specially formulated for the manufacturing of edge and faced glued panels where extremely strong and resilient bonds on hardwoods are required.

- Fast gripping action with less slippage
- Superior adhesion to hardwoods
- Deeper wood penetration
- Fluorescent

NO.	VOLUME	QTY/BOX
R5000130	3.79 L (1 GALLON)	4
R5000530	18.93 L (5 GALLONS)	1
R50004530	170.34 L (45 GALLONS)	1





**NEW!** 

SECTION A

Dur Best Seller!

mmable

N VOC

## High-temperature, High-strength Adhesive Spray

Adhesives with high bond strength and excellent adhesion to a variety of substrates including, but not limited to laminates, particle board, plywood, hardwood, leather, rubber and metal.

- Open time: 30 minutes
- Coverage rate: 2.5 dry grams/sq. ft. min.
- Cleanup : LIONGRIP RS02020L, RCCAR13C or RCCAR09C

#### LIONGRIP R015

- Flash point: -156°F
- Dry time : approximately 2-3 Minutes
- VOC: 426 grams/liter (EPA Method 24)

5	-	-	
NO.	VOLUME	COLOR	QTY/BOX
R01516C	16 OZ	CLEAR	12
R01511C	11 LB	CLEAR	1
R01511R	11 LB	RED	1
R01538C	38 LB	CLEAR	1
R01538R	38 LB	RED	1
R015177C	177 LB	CLEAR	1
R015177R	177 LB	RED	1

#### LIONGRIP R015NF

- High heat resistance
   Fast grab
- Fast drying
- Easy and uniform coverage

<ul> <li>High performance</li> </ul>	e • High ta	<ul> <li>High tack and excellent contactability</li> </ul>		
NO.	VOLUME	COLOR	QTY/BOX	
R015NF35C	35 LB	CLEAR	1	
R015NF35G	35 LB	GREEN	1	
R015NF162C	162 LB	CLEAR	1	
R015NF162G	162 LB	GREEN	1	
R015NF326C	326 LB	CLEAR	1	
R015NF326G	326 LB	GREEN	1	

## LIONGRIP R013

- Flash point: -13°F
- Dry time: approximately 2-3 minutes
- VOC: 141.5 grams/liter (EPA Method 24)

5	-		
NO.	VOLUME	COLOR	QTY/BOX
R01313C	13 OZ	CLEAR	12
R01323C	23 LB	CLEAR	1
R01323R	23 LB	RED	1
R013124C	124 LB	CLEAR	1
R013124R	124 LB	RED	1
R013252C	252 LB	CLEAR	1
R013252R	252 LB	RED	1

#### LIONGRIP R661

- Flash point: -13°F
- Dry time: approximately 3-5 minutes
- VOC: 651 grams/liter (EPA Method 24)

NO.	VOLUME	COLOR	QTY/BOX
R66130C	30 LB	CLEAR	1
R66130R	30 LB	RED	1
R661140C	140 LB	CLEAR	1
R661140R	140 LB	RED	1
R661300R	300 LB	CLEAR	1

All products are sold by unit except those shown with an \*. These are sold by box.



ichelieu.com



# **Adhesives**

**A**7

• 1 1/2" diameter core

NO.

D015030

D015031

DYROLLERADH

SECTION A

1

1

1

QTY/BOX





Spray Nozzles		
NO.	DESCRIPTION	QTY/BOX
TIP6501	65 DEGREES	1
TIP80015E	80 DEGREES	1
TPU9501	95 DEGREES	1

Light Texture Fiberglass & Adhesive Glue Roller

3" ROLLER WITH HANDLE

**3" ROLLER REPLACEMENT** 

DESCRIPTION

9.5" ROLLER



Spray Gun		
NO.	DESCRIPTION	QTY/BOX
AA23L45885	ADJUSTABLE FLOW	1



T-Fitting for Two Flow Spray Guns		
NO.	DESCRIPTION	QTY/BOX
TFIT2GUNS	T-FITTING	1



Hoses		
NO.	DESCRIPTION	QTY/BOX
WSB06	6 FT	1
WSB09	9 FT	1
WSB12	12 FT	1
WSB18	18 FT	1
WSB25	25 FT	1



SECTION A

# Construction Adhesive LIONGRIP PU Plus

It can be used for interior or exterior and is specially designed for water-resistant substrate assemblies. 100% polyurethane-based, VOC-compliant adhesive.

NO.	VOLUME	QTY/BOX
R519300PU	296 ML (10 OZ)	12

# Interior/Exterior Glue Cartridges (multipurpose)

Versatile adhesive ideal for wood, paneling, drywall, ceramic tile, metal, foam-board and tub surrounds.

NO.	VOLUME	QTY/BOX
15003451	299 ML (10.1 OZ)	12

# Heavy-Duty Glue Cartridge

Titebond low VOC heavy-duty construction adhesive. Designed for a wide range of construction applications including wet, frozen and treated lumber.

NO.	VOLUME	QTY/BOX
15005251	296 ML (10 OZ)	12

# **100% Silicone Sealant for Baths & Kitchen**

Specially formulated to resist mold and mildew when fully cured.

NO.	COLOR	VOLUME	QTY/BOX
94160030	WHITE	300 ML (10.14 OZ)	12
94160011	CLEAR	300 ML (10.14 OZ)	12

# **Painter's Ultra Siliconized Acrylic Latex**

Paintable within minutes.					
NO.	COLOR	VOLUME	QTY/BOX		
94150130	WHITE	300 ML (10.14 OZ)	12		
94150111	CLEAR	300 ML (10.14 OZ)	12		

## "NuFlex®" 180 Tub & Tile Sealant

Siliconized acrylic latex.					
NO.	COLOR	VOLUME	QTY/BOX		
94150116211	CLEAR	162 ML (5.48 OZ)	12		
94150116230	WHITE	162 ML (5.48 OZ)	12		
94150116240	ALMOND	162 ML (5.48 OZ)	12		

# Silicone Sealant and Adhesive - CSL 160

CSL160 is ideal for sealing around carpentry, cabinetry, tubs, sinks, shower and bath panel joints, counter tops, doors, windows and flashings, a general adhesive.

NO.	COLOR	VOLUME	QTY/BOX
160011	CLEAR	300 ML (10.14 OZ)	20
160030	WHITE	300 ML (10.14 OZ)	20
160040	ALMOND	300 ML (10.14 OZ)	20
160060	MEDIUM BROWN	300 ML (10.14 OZ)	20
160090	BLACK	300 ML (10.14 OZ)	20
CS1T	TRANSLUCENT	300 ML (10.14 OZ)	20
1600401	BONE	300 ML (10.14 OZ)	20
1600105	GREY	300 ML (10.14 OZ)	20

All products are sold by unit except those shown with an \*. These are sold by box.







ichelieu.com

A9





## Steel Wool

Flexible alternative to sanding

• Recommended for use with most stains, lacquers and protective finishes

GRIT	NO.	QTY/BOX
00 VERY FINE	M9090301	16
000 EXTRA FINE	M9090302	16
0000 SUPER FINE	M9090303	16
2 MEDIUM/COARSE	M9090305	16
3 COARSE	M9090306	16
4/0 (3 1/2" × 125')	M9090540	1 ROLL (5 LB)
Sold by box only		

## 'PREMIER RED" Sanding Sheets

Aluminum oxide resin bond

- 9" × 11" B 0912 DO GRIT
- GRIT NO. QTY/ BOX 80 4009110080 50 100 4009110100 100 120 4009110120 100 150 4009110150 100 180 4009110180 100 220 4009110220 100 240 4009110240 100 Sold by box only
- B-weight paper backing
- Performance leader in dry finishing

	-	-
GRIT	NO.	QTY/ BOX
280	4009110280	100
320	4009110320	100
400	4009110400	100
600	4009110600	100
800	4009110800	100
1000	4009111000	100
1200	4009111200	100

QTY/BOX

24

# "PREMIER RED" 2 3/4" × 5" Sanding Sheets

Designed for all types of wood sanding and all applications. Features:

Premium, P-graded heat-treated aluminum oxide abrasive

 B-weight paper backing · New bond system

GRIT	NO.	QTY/	GRIT	NO.	QTY/
		BOX			BOX
120	5002345120	100	220	5002345220	100
150	5002345150	100	320	5002345320	100
180	5002345180	100	400	5002345400	100
Sold by	box only		-		

## Sanding Block

• 2 3/4" × 5"

For use with sanding sheets

NO.

6300234500

## **EZ-TOUCH Sanding Sponges**

• 4 1/2" × 5 1/2" × 3/16"

· Can be used on a variety of materials - Metal, glass, composites, and plastic

,		1 7 1
GRIT	NO.	QTY/BOX
MICROFINE (P1500/P1200)	5100041205	20
ULTRAFINE (P1000/P800)	5100041210	20
SUPERFINE (P600/P500)	5100041215	20
FINE (P400/P320)	5100041220	20
MEDIUM (P180/P120)	5100041225	20
Sold by box only		



**B10** 

# Best on the market!

"PRE	MIER RED" Sti	ick-on Sanding D	liscs		
GRIT	Ø 5"	Ø 5" (5 holes)	Ø 6"	Ø 6" (6 holes)	QTY/ROLL
80	2000050080	2000055080	2000060080	2000066080	100
100	2000050100	2000055100	2000060100	2000066100	100
120	2000050120	2000055120	2000060120	2000066120	100
150	2000050150	2000055150	2000060150	2000066150	100
180	2000050180	2000055180	2000060180	2000066180	100
220	2000050220	2000055220	2000060220	2000066220	100
240	2000050240	2000055240	2000060240	2000066240	100
280	2000050280	2000055280	2000060280	-	100
320	2000050320	2000055320	2000060320	2000066320	100
400	2000050400	2000055400	2000060400	-	100
600	2000050600	-	2000060600	-	100
800	2000050800	-	-	-	100
Sold by r	oll only				

Sold by roll only

# Above average performance!

	0,		
"COR	A PB273" Sti	ck-on Sanding Di	SCS
GRIT	Ø 5"	Ø 6"	QTY/ROLL
80	1800050080	1800060080	100
120	1800050120	1800060120	100
150	1800050150	1800060150	100
180	1800050180	1800060180	100
220	1800050220	1800060220	100
240	1800050240	1800060240	100
320	1800050320	1800060320	100
400	1800050400	1800060400	100
Cold hu	يراهم الم		

Sold by roll only

# Good dollar value!

"A29	0" Stick-on Sa	nding Discs		
GRIT	Ø 5"	Ø 5" (5 holes)	Ø 6" (6 holes)	QTY/ROLL
60	1600050060	1600055060	-	100
80	1600050080	1600055080	1600066080	100
100	1600050100	1600055100	1600066100	100
120	1600050120	1600055120	1600066120	100
150	1600050150	1600055150	1600066150	100
180	1600050180	1600055180	1600066180	100
220	1600050220	1600055220	1600066220	100
240	1600050240	1600055240	-	100
280	1600050280	-	-	100
320	1600050320	1600055320	1600066320	100
400	1600050400	-	-	100
Cold by	roll only			

Sold by roll only

All products are sold by unit except those shown with an \*. These are sold by box.





**B1**1

Sanding Discs



che

richelieu.com

# Best on the market!

"PREI	MIER RED" G	rip-on Sandin	g Discs			
GRIT	Ø 5"	Ø 5" (5 holes)	Ø 5" (8 holes)	Ø 6"	Ø 6" (6 holes)	QTY/BOX
80	3000500080	3100055080	3000580080	3000600080	3000660080	100
100	3000500100	3100055100	3000580100	3000600100	3000660100	100
120	3000500120	3100055120	3000580120	3000600120	3000660120	100
150	3000500150	3100055150	3000580150	3000600150	3000660150	100
180	3000500180	3100055180	3000580180	3000600180	3000660180	100
220	3000500220	3100055220	3000580220	3000600220	3000660220	100
240	3000500240	-	3000580240	3000600240	3000660240	100
280	3000500280	-	-	3000600280	3000660280	100
320	3000500320	3100055320	3000580320	3000600320	3000660320	100
400	3000500400	3100055400	3000580400	3000600400	3000660400	100
500	-	-	-	3000600500	3000660500	100
600	3000500600	-	3000580600	3000600600	3000660600	100
800	3000500800	-	-	3000600800	-	100
Sold by	hox only					

Sold by box only

# Above average performance!

"COR	A PB273" Grip	o-on Sanding Discs			
GRIT	Ø 5"	Ø 5" (8 holes)	Ø 6"	Ø 6" (6 holes)	QTY/BOX
80	2800050080	2800058080	2800060080	-	100
100	2800050100	-	2800060100	-	100
120	2800050120	-	2800060120	-	100
150	2800050150	2800058150	2800060150	2800066150	100
180	2800050180	2800058180	2800060180	2800066180	100
220	2800050220	2800058220	2800060220	-	100
240	2800050240	-	2800060240	-	100
320	2800050320	2800058320	2800060320	-	100
400	2800050400	-	2800060400	-	100
Coldby	hoy only				

Sold by box only





# Good dollar value!

"A29	0" Grip-on S	anding Discs	•	
GRIT	Ø 5" (5 holes)	Ø 5" (8 holes)	Ø 6" (6 holes)	QTY/BOX
60	-	2600058060	-	50
80	2600055080	2600058080	2600066080	50
100	2600055100	2600058100	-	50
120	2600055120	2600058120	2600066120	50
150	2600055150	2600058150	-	50
180	2600055180	2600058180	-	50
220	2600055220	2600058220	2600066220	50
320	2600055320	2600058320	-	50
400	2600055400	-	-	50
Sold by	/ box only			





# Dust controlled sanding!

"ABRA	NET®" Grip-on Sa	anding DISCS		
GRIT	Ø 5"	Ø 6"	QTY/BOX	MIRKA
80	-	A9A241080	50	
100	A9A232100	A9A241100	50	
120	A9A232120	A9A241120	50	
150	A9A232150	A9A241150	50	
180	A9A232180	A9A241180	50	
220	A9A232220	A9A241220	50	
240	A9A232240	A9A241240	50	
320	A9A232320	A9A241320	50	
400	A9A232400	A9A241400	50	
600	-	A9A241600	50	
<u> </u>				and the state of the state of the state of the

Sold by box only



ur

# Mirka Orbital Sander

The unique symmetrical design makes it just as comfortable whether it's being used in the left hand or the right hand and the longer body provides the option of a two-hand grip. Equipped with a backing pad, which has a central air inlet. This results in improved air flow and helps extract dust away from the center of the tool even faster.

NO.	DESCRIPTION	QTY/BOX
AMID55020CAUS	5" DIRECT ELECTRIC RANDOM ORBITAL SANDER	1
AMID65020CAUS	6" DIRECT ELECTRIC RANDOM ORBITAL SANDER	1



# "SILVER SUPREME" Medium to Agressive Duty Sander

 12,000 RPM air motor. High-strength, composite rotor has better lubricating qualities, allowing blades to last longer

Includes :

• Low profile, premium urethane weight-mated sanding pad

Ø	ORBIT Ø	DETAILS	USE	NO.
5"	3/16"	CENTRAL VACUUM	GENERAL SANDING	9169024*
5"	3/16"	CENTRAL VACUUM	GENERAL SANDING	9169024HL**
* \\/;+	th stick on no	d ** With arin on nod		

\* With stick-on pad \*\* With grip-on pad

All products are sold by unit except those shown with an \*. These are sold by box.



**RICHEIIEU** 

B13

SECTION B



DYNABRADE

# "SPIRIT" Light to Medium Duty Sander

 12,000 RPM air motor. High-strength, composite rotor has better lubricating qualities, allowing blades to last longer

Includes:

· Low profile, premium urethane weight-mated sanding pad

Ø	<b>ORBIT</b> Ø	DETAILS	USE	NO.
5"	3/16"	CENTRAL VACUUM	GENERAL SANDING	9159024*
5"	3/16"	CENTRAL VACUUM	GENERAL SANDING	9159024HL**
6"	3/16"	CENTRAL VACUUM	GENERAL SANDING	9159029HL**
* \\/:+	h stick on no	d ** \\/;+h arrin on nod		

With stick-on pad With grip-on pad

## Abrasive Finishing Tool - 1/4" Collar

- Lightweight air-powered abrasive finishing tool for use with spindle-mount, arbor-mount and eyelet sanding stars.
- For whitewood/sealer sanding, light deburring of metal, or fabricating and finishing composite surfaces.
- Excellent for use on wooden parts, moldings, raised panels and intricate profiles. Eliminates raised grain and removes loose fibers when sanding whitewood, and scuffs sealer coats.
- Tool includes 94407 air-flow control fitting for maximum maneuverability and control. ORBIT Ø DETAILS Ø USE NO. 4" 1/4" LIGHT-WEIGHT FINISHING 9152050



814

## DYNABUG II Orbital Sander

- 3" × 4 1/4" (74 × 109 mm)
- Rectangular shape sands deep into corners where round pads cannot reach.

ORBIT Ø	DETAILS	USE	NO.
3/32"	NON-VACUUM	ULTRA-FINE SANDING	9158509*
3/32"	NON-VACUUM	ULTRA-FINE SANDING	9158500**
* With stick-	on pad ** With grip-on	pad	

## A275 Sanding Sheets (for DYNABUG II Orbital Sander)

• 3" × 4 1/4" (74 × 109 mm)

Premium, P-graded heat-treated aluminum oxide abrasive

GRIT	for 9158509	for 9158500	QTY/BOX
120	5013414120*	5003414120**	100
150	5013414150*	5003414150**	100
180	5013414180*	5003414180**	100
220	-	5003414220**	100
280	-	5003414280**	100
320	-	5003414320**	100

\* Stick-on \*\*Grip-on





# SECTION B

HRE)





# Headless Pinners 23 Gauge

- Powerful motor penetrates fasteners through the hardest materials
- Double-trigger safety prevents accidental firing of tool
- Innovative and patented design that eliminates the need to adjust to different fastener lengths

NO.	DESCRIPTION	PIN LENGTH
9145P650L	COMPRESSED AIR PINNER	1/2" TO 2"
9145P635	COMPRESSED AIR PINNER	3/8" TO 1 3/8" (EXCEPT 1 1/4")

• Accommodates smaller compressors

• For more headless pins and more hardwood applications

NO.	DESCRIPTION	PIN LENGTH
9145P650LX	COMPRESSED AIR PINNER	1/2" TO 2"



• This cordless brad nailer has a small nose and is by far the smallest cordless tool

•	Over	1300	shots	per	gas	cylinder	

NO.	DESCRIPTION	QTY/BOX
91456C1850	NAILER	1
9146GFC0104	FUEL CARTRIDGE	4
9146GFC0112	FUEL CARTRIDGE	12





## Crown Corrugated Nailer - 25 Gauge

- Powerful motor penetrates fasteners through the hardest materials
- Innovative and patented design that eliminates the need to adjust to different fastener lengths

NO.	DESCRIPTION	<b>CORRUGATED CROWNS</b>
9145CF15AA	COMPRESSED AIR NAILER	1/4", 3/8", 1/2"



C15

NEW!

All products are sold by unit except those shown with an \*. These are sold by box.

Richelieu



# CREX



# Brad Nailer - 16 Gauge

For your heavier finishing needs and also suitable for light wood construction applications, such as door and window casings. • 360° adjustable exhaust cover lets tool be used in any position

,		
NO.	DESCRIPTION	PIN LENGTH
91451664	COMPRESSED AIR NAILER	1 1/4" TO 2 1/2"

C16



# Brad Nailer - 18 Gauge

- A narrow nose design lets you reach in corners and tight areas
- Dual firing options : sequential and contact fire modes
- Automatic trigger lockout prevents empty firing and alerts

NO.	DESCRIPTION	PIN LENGTH
9145P1850	COMPRESSED AIR NAILER	5/8" TO 2"
91451850GB	COMPRESSED AIR NAILER, GREEN BUDDY	1/2" TO 2"

# Narrow Crown Stapler - 18 Gauge

The unique long-nose feature permits difficult fastener placement in many cabinet assembly and drawer applications.

NO.	DESCRIPTION	STAPLE LENGTH
91459032	COMPRESSED AIR STAPLER	3/8" TO 1 1/4"
91459040	COMPRESSED AIR STAPLER	1/2" TO 1 9/16"



Crown Sta	bier - SUAD - 20 Gauge	
quick access to	r with a fast air hagazine latch for o fastener reloading ad cap can be used as	Fine Wire
NO.	DESCRIPTION	STAPLE LENGTH
914550AD	COMPRESSED AIR STAPLER	3/16" TO 5/8"



# Magnesium Brad Nailer and Stapler

- Lightweight magnesium body design
- 360° adjustable exhaust
- Depth drive adjustment
- Quick release nose
- Adjustable dual action firing mode
- Includes :
- Hex wrenches
- Oil
- Swivel plug
- Safety glasses

Magnesium	Magnesium Brad Nailer - 18 Gauge	
NO.	DESCRIPTION	NAIL LENGTH
980182	COMPRESSED AIR NAILER	5/8" TO 2"





Magnesium	Narrow Crown Stap	ler - 18 Gauge
NO.	DESCRIPTION	STAPLE LENGTH
9889041	Comp. Air Narrow Crown Stapler	5/8" TO 1 1/2"

# Galvanized Brad Nails - 16 & 18 Gauge

#### Compatible with:

- Arto Tip Tools Duofast 700, LFN, 764A Max NF 16
- Airy ATM 0365, ATF 0350 Bea SK40 CRISP-AIR Hitachi NT65
- Paslode F16, IMF250F Bex 16ga Bradders FA500 FN tools
- Porter Cable FN200, FN250, CFN250 Bostitch BT1200
- Haubold SKN16 Campbell Hausfeld NB006500 Bex 16ga Bradders
- FA500 FN tools Porta Cable FN200, FN250, CFN250
- Bostitch BT1200 Haubold SKN16 Campbell Hausfeld NB006500

16 GAUGE		18 (	18 GAUGE	
NO.	LENGTH	NO.	LENGTH	
98001316B	13/16"	91291058	5/8"	
980100B	1"	91291034	3/4"	
9801316B	1 3/16"	912910100	1"	
980114B	1 1/4"	912911316	1 3/16"	
980138B	1 3/8"	91291114	1 1/4"	
980112B	1 1/2"	91291138	1 3/8"	
980134B	1 3/4"	91291112	1 1/2"	
980200B	2"	912911916	1 9/16"	
980214B	2 1/4"	91291134	1 3/4"	
980212B	2 1/2"	91291200	2"	



chelieu

richelieu.com

Sold by box only (5000/box)

All products are sold by unit except those shown with an \*. These are sold by box.



G CRISP-AIR G



C17



Galvanized Crown Staples - 20 Gauge			
Compatible with Duo-Fast 5000 Series. Grex 50AD.			
NO. LENGTH QTY/BOX			
91464014	1/4"	5000	
914640516	5/16"	5000	
91464038	3/8"	5000	
91464012	1/2"	5000	
914640916	9/16"	5000	

Sold by box only



I-Pins - 23 Gauge		
NO.	LENGTH	QTY/BOX
914662012	1/2"	10 000
91462058	5/8"	10 000
91462100	1"	10 000
914621316	1 3/16"	10 000
91462138	1 3/8"	10 000
91462112	1 1/2"	10 000
91462200	2"	10 000
<u></u>		

Sold by box only



Narrow Crown Staples, Series 90 - 18 Gauge		
NO.	LENGTH	QTY/BOX
91298012	1/2"	5000
91298058	5/8"	5000
91298034	3/4"	5000
91298078	7/8"	5000
91298100	1"	5000
91298118	1 1/8"	5000
91298114	1 1/4"	5000
91298112	1 1/2"	5000
Sold by box only	M.	

Sold by box only



# Silent Compressor - 1 HP

•	8-amp	motor

<ul> <li>Low noise at only</li> </ul>	60 dB
---------------------------------------	-------

NO.	VOLTAGE	DESCRIPTION
91350010	120V	INDUSTRIAL-GRADE

# Auto-Retractable Polyurethane Air Hoses

Cabinet workshops

• Temperature rating: -37°C/ 93°C (-35°F/200°F)

NO.	<b>BRASS FITTING Ø</b>	LENGTH	DIAMETER
913501425	1/4"	25'	1/4"
913511450	1/4"	50'	1/4"

# **Premium Air Hose**

- 40% lighter than a rubber hose
- Flexible in low temperatures
- Made from hybrid polymer
- Abrasion resistant
- Aluminum fittings
   Temperature rating: -40 °C/65 °C (-40 °F/150 °F)
- resistant
- Working pressure: 300 PSI
- Inner braided nylon reinforcement

Quiet

NO.	LENGTH	DIAMETER
91350425	25'	1/4"
91350450	50'	1/4"
91350650	50'	3/8"

# Flexreel with Hybrid Hose (M) NPT

For wherever hose storage and handling is an issue, construction sites. • Maximum working temperature : -40°C to 65°C (-40°F to 150°F)

NO.	<b>BRASS FITTING Ø</b>	LENGTH	DIAMETER
913579805	1/4"	50'	3/8"

# PolyReel Flexair Portable Hose Reels (M) NPT (With Polyurethane Hose)

For wherever hose storage and handling is an issue, construction sites.  $\bullet$  Maximum working temperature: -20°C to 74°C (-4°F to 165°F)

NO.	<b>BRASS FITTING Ø</b>	LENGTH	DIAMETER
913579040	1/4"	100'	1/4"

# Rolair with Flex Hybrid PVC Hose (M) NPT

Ideal for indoor and outdoor use.

 $\bullet$  Maximum working temperature : 0°C to 60°C (32°F to 140°F)


NO.	<b>BRASS FITTING Ø</b>	LENGTH	DIAMETER
913579365	1/4"	27'	1/4"

Medium-Duty Tool Balancer - 3.0 to 5.0 lb.		
For pneumatic and electric tools, screw drivers, drills, riveting machines.		
NO.	DESCRIPTION	
913564130	GALVANIZED STEEL CABLE, NYLON COATED	

All products are sold by unit except those shown with an \*. These are sold by box.













ichelieu.com

NEW!

C19

# BOSCH



NEW!

# **Bi-Metal Hole Saws**

Ideal for cutting wood, laminate, sheet metal, thick metal, stainless steel, and plastic. • Teeth in cobalt alloy (8%) for longer life and higher heat resistance

NO.	DIA.	QTY/BOX	NO.	DIA.	QTY/BOX
BSHB063	5/8"	1	BSHB231	2 5/16"	1
BSHB075	3/4"	1	BSHB236	2 3/8"	1
BSHB087	7/8"	1	BSHB250	2 1/2 "	1
BSHB100	1"	1	BSHB263	2 5/8"	1
BSHB112	1 1/8"	1	BSHB275	2 3/4"	1
BSHB125	1 1/4"	1	BSHB300	3"	1
BSHB136	1 3/8"	1	BSHB312	3 1/8"	1
BSHB150	1 1/2"	1	BSHB363	3 5/8"	1
BSHB175	1 3/4"	1	BSHB375	3 3/4"	1
BSHB187	1 7/8"	1	BSHB412	4 1/8"	1
BSHB200	2"	1	BSHB425	4 1/4"	1
BSHB212	2 1/8"	1	BSHB436	4 3/8"	1
BSHB225	2 1/4"	1			

# Daredevil Hole Saws

Deliver up to 10x speed and life, deeper drilling in multiple materials
Provide fast, clean cuts in multiple sandwich materials

NO.	DIAMETER
BSHMD175	1 3/4"
BSHMD200	2 "
BSHMD212	2 1/8"
BSHMD225	2 1/4"
BSHMD250	2 1/2 "
BSHMD275	2 3/4"
BSHMD300	3"
BSHMD363	3 5/8"



#### **Bi-Metal Hole Saw Set**

#### Includes :

• Hole saws (BSHB25M: 11, BSHB19EL: 8, BSHB17PL: 7)

- Adapters (BSHB25M: 11, BSHB19EL: 8, BSHB17PL: 7)
- 1 Quick Change mandrel 2 Pilot bits 1 Plastic case

NO.	DESCRIPTION	QTY/BOX
BSHB25M	MASTER SET, 25 PIECES	1
BSHB19EL	GREAT FOR ELECTRICIANS, 19 PIECES	1
BSHB17PL	GREAT FOR PLUMBERS, 17 PIECES	1



C20

# SECTION C



# 3/8" Universal Quick Change Mandrel Kit

• 1 Mandrel (3/8") • 1 Small adapter for hole saw sizes from 9/16" to 1 3/16" • 1 Large adapter for hole saw sizes from 1 1/4" to 6"

NO.	QTY/BOX	
BSPCM38AN	1	

Quick Change Conversion Kit	
<ul> <li>2 Small adapters for hole saw sizes from 9/16" to 1</li> <li>4 Large adapters for hole saw sizes from 1 1/4" to 6</li> </ul>	
NO.	QTY/BOX
BSCK2	1

# Hole Enlarger Kit

This kit makes it possible to expand holes in tight retrofit situations, door lock installations, and conduit fittings.

NO.	QTY/BOX
BSHE1	1

# 3/8" Bi-Metal Power Change Hole Saw Mandrel

For hole saw sizes from 9/16" to 6"

NO.	QTY/BOX
BSPCM38	1

	QIIIDON	And in case of the local division in which the local division in t
BSPCM38	1	
Diamond Hole Saw Set (3 Pieces)		

stone (granite), and glass.		
NO.	DESCRIPTION	QTY/BOX
BSHDGM	MINI DIAMOND HOLE SAW SET	1
BSHDG1380A	1 3/8" STARTER SET	1

Ideal for fiberglass, cement board, wall tile (ceramic), hard tile (porcelain),

( BOSCH IIII

1/2

**C**2

All products are sold by unit except those shown with an \*. These are sold by box.













NEW!



TROA450

# Universal Bi-Metal Titanium STORM Blades - T340

- Designed for wood, metal and PVC
- Width: 1 3/4"
- Plunge Depth: 1 5/8"
- Teeth per inch : 18

····· F •· ····· · •	
NO.	QTY/BOX
IB3401	BLISTER OF 1 UNIT
IB3403	BLISTER OF 3 UNITS
IB34010	BLISTER OF 10 UNITS
IB34025	BOX OF 25

# Universal Bi-Metal Titanium STORM Blades - T330

- Especially designed for cutting through nail-laden wood, deck screws, sheet metal, etc.
- Width: 1 1/4"
- Plunge Depth : 1 5/8"
- Teeth per inch : 18

NO.	QTY/BOX
IB3301	BLISTER OF 1 UNIT
IB3303	BLISTER OF 3 UNITS
IB33010	BLISTER OF 10 UNITS

#### Bi-Metal Titanium STORM Blades for Wood with Nails - T337

- Width : 2 1/2"
- Plunge Depth: 1 5/8"
- Teeth per inch : 18

NO.	QTY/BOX
IB3371	BLISTER OF 1 UNIT
IB3373	BLISTER OF 3 UNITS

#### Bi-Metal Titanium STORM Blades for Wood with Nails - T336

- Width : 1 1/4"
- Plunge Depth: 1 5/8"

•	leeth	ı per	inch:	18

NO.	QTY/BOX
IB3361	BLISTER OF 1 UNIT
IB3363	BLISTER OF 3 UNITS

## Segment HSS Saw Blade - T410

- A high-speed steel flat saw blade segmented on one side that cuts through harder wood and sheet metal up to 1mm thick as well as carbon fiber, fiberglass, and nails.
- Width : 3 1/8"
- Teeth per inch : 18

NO.	QTY/BOX
IB4101	BLISTER OF 1 UNIT

# Variety Pack - STORM Blades

- Includes :
- 2x IB330 blades
- 2x IB336 blades
- 2x IB340 blades
- 1x carrying case
- NO.
- IB0006

# QTY/BOX BLISTER OF 7 UNITS





# SECTION C

# Thakita

# 7 1/4" Circular Saw

- New and improved with high power to weight ratio
- Two-stage safety trigger switch prevents accidental start up

Aluminum baseplate for added durability

NO.

**MKTHS7600** 

DESCRIPTION

BEVEL CAPACITY OF 45°



Amana Tool®





2-Piece 12" Miter Saw Blade Set										
NO.	APPLICATIONS	DIAMETER MM IN		TEETH	KERF MM IN		PLATE MM IN		BORE MM IN	
ATMA12012	MA12045 GENERAL PURPOSE	305	12	45		0.11	2.2	0.087		1
	MA12072 FINISHING COMPOUND	305	12	72	2.8	0.11	2.2	0.087	25	1

# Melamine Saw Blades 10" to 12

- BEST FOR DOUBLE SIDED MELAMINE
- Easily re-sharpened
- 6° negative hook/10 mm pitch 25° "HIGH-ATB" grind


	DIAN	<b>/IETER</b>			KERF	F (B)	PLATE (C)		
NO.	IN	MM	TEETH	GRIND	INCH	MM	INCH	BORE	-
									BOX
ATMB10800C	10	250	80	H-ATB	0.126	3.2	0.102	5/8"	1
ATMB12960C	12	300	96	H-ATB	0.126	3.2	0.102	1"	1

# General Purpose Cut-Off Saw Blades

Universal use, rip and cross-cut natural wood and resize plywood										
	DIAN	METER	]		KER	<sup>=</sup> (B)	PLATE (C)			
NO.	IN	MM	TEETH	GRIND	IN	MM	IN	BORE		111
									BOX	
AT610601C	10	250	60	TCG	0.126	3.2	0.087	5/8"	1	10'
AT612721C	12	300	72	TCG	0.126	3.2	0.087	1"	1	7

All products are sold by unit except those shown with an \*. These are sold by box.





Р







# **Titanium Nitride Coated Drill Bits**

Multipurpose drill bit designed to drill through wood, metals, PVC and non-ferrous materials. Coated in titanium nitride to provide added protection from heat build-up and 6X longer tool life than HSS.

NO.	Ø	LENGTH	QTY/BOX
AT616104	1/16"	1 7/8"	3
AT616106	5/64"	2"	3
AT616108	3/32"	2 1/4"	3
AT616109	3/32"	2 1/4"	10
AT616110	7/64"	2 5/8"	3
AT616111	7/64"	2 5/8"	10
AT616112	1/8"	2 3/4"	3
AT616113	1/8"	2 3/4"	10
AT616114	9/64"	2 7/8"	1
AT616116	5/32"	3 1/8"	1
AT616118	11/64"	3 1/4"	1
AT616120	3/16"	3 1/2"	1
AT616121	3/16"	3 1/2"	10
AT616122	13/64"	3 5/8"	1
AT616124	1/16"	1 7/8"	1
AT616126	5/64"	2"	1
AT616128	3/32"	2 1/4"	1
AT616132	3/32"	2 1/4"	1
AT616136	7/64"	2 5/8"	1
AT616140	7/64"	2 5/8"	1
AT616144	1/8"	2 3/4"	1
AT616162	1/8"	2 3/4"	1



<ul> <li>Brad point</li> </ul>			
NO.	LENGTH	SHANK Ø (d) × BORING Ø (D)	QTY/BOX
AT606117	85 MM	$5 \text{ MM} \times 5 \text{ MM}$	1
AT606123	90.5 MM	6 MM × 6 MM	1
AT606124	101 MM	$6 \text{ MM} \times 6 \text{ MM}$	1
AT606130	111 MM	7.5 MM × 7.5 MM	1
AT606142	130 MM	9.5 MM × 10 MM	1
AT606143	165 MM	10 MM × 10 MM	1
AT606160	197 MM	12.7 MM × 19 MM	1



C24

# 3-Piece Euro Hinge Boring Set

- Includes :
- 2 x 8 mm bits (left hand)
- 1 x 35 mm bit (right hand)

NO.	QTY/BOX		
ATHBM102	1		



# **Brad Point Boring Bits**

- With carbide tips
- The best choice for precision woodworking
- They are fully ground and polished to give superior chip clearance

NO.	SHANK Ø (d)	BORING Ø (D)	CUTTING LENGTH (B)	LENGTH (L)
AT201005	10 MM	5 MM (RIGHT HAND)	27 MM	57 MM
AT301005	10 MM	5 MM (LEFT HAND)	27 MM	57 MM
AT201008	10 MM	8 MM (RIGHT HAND)	27 MM	57 MM
AT301008	10 MM	8 MM (LEFT HAND)	27 MM	57 MM
AT201010	10 MM	10 MM (RIGHT HAND)	27 MM	57 MM
AT301010	10 MM	10 MM (LEFT HAND)	27 MM	57 MM

# Hinge Boring Bit

With carbide tips							
NO.	SHANK Ø (d)	BORING Ø (D)	CUTTING LENGTH (B)	LENGTH (L)			
AT203351	10 MM	35 MM (RIGHT HAND)	27 MM	57 MM			

# Panel Pilot Bits

<ul> <li>Single flute panel pilot bits</li> <li>1/4" Ø shank</li> </ul>							
NO.	TYPE OF CUT	<b>CUTTING Ø</b>	<b>CUTTING LENGTH</b>	OVERALL			
		(D)	(B)	LENGTH (L)			
AT51200	FLUSH	1/4"	1/4"	1 1/2"			
AT51202	7°	1/4"	1/4"	1 1/2"			

# "NO-FILE™" Trim Bits

<ul> <li>2-flute with ball bearing guide router bit</li> <li>1/4" Ø shank</li> </ul>					
NO.	CUTTING Ø (D)	CUTTING LENGTH (B)	RADIUS (d)	OVERALL LENGTH (L)	
AT47150	1/2"	3/8"	.059 (1.5 MM)	1 7/8"	
AT47154	5/8"	3/8"	.015 (.4 MM)	1 7/8"	

# **Flush Trim Bits**

• 2-flute with ball bearing guide • 1/4" shank Ø				
NO.	CUTTING Ø (D)	CUTTING LENGTH (B)	OVERALL LENGTH (L)	
AT47102	3/8"	1/2"	2 1/8"	
AT47106	1/2"	1/2"	2 1/4"	
AT47104	1/2"	1"	2 5/8"	

# DecoMetal Router Bits


These innovative new bits are specially designed and tested for trimming all decorative metal laminates and have been recommended by Advanced Technology Inc. and Formica<sup>®</sup> for use in all DecoMetal<sup>®</sup> material.

NO.	CUTTING Ø (D)	CUTTING LENGTH (B)	OVERALL LENGTH (L)
AT51430	1/4"	5/8"	2 3/8"
AT51432	1/2"	5/8"	3 1/4"


All products are sold by unit except those shown with an \*. These are sold by box.












+ d

D



D





# 

## BOSCH



#### **Jig Saws**

- Powerful 7.0-amp motor: top jigsaw amp rating
  Ergonomic body with front soft-grip area for maximum comfort and control
- Exclusive multidirectional blade clamp provides superior grip on T-shank blades

NO.	DESCRIPTION	QTY/BOX
BSJS470E	TOP-HANDLE JIG SAW, 110V	1
BSJS470EB	BARREL GRIP JIG SAW, 110V	1



#### **Jig Saw Blades**

• Made of HCS • Fit most jig saw power tools

REF.	NO.	LEN.	TEETH/ INCH	APPLICATIONS	QTY/ BOX
А	101B	4"	10	Clean cut in all woods, plastics.	5
	BST101B100	4"	10	3/16" to 1 1/4"	
В	101D	4"	6	Clean cut in all woods, plastics.	5
	BST101D100	4"	6	1/4" to 2 3/8"	100
С	111C	4"	8	Fast coarse cut in softwoods. 7/32 "to 2 3/8"	5
D	144DBR	4"	5-6	Very fast cuts in all woods. 1/4" to 2 3/8"	100
E	101AO	3"	20	Curved cuts splinter free on both sides : all woods and laminates. 5/64" to 3/4"	
	BST101AO100	3"	20		
F	101BR	4"	10	Splinter free cut on top of the surface all woods and plastics. 3/16" to 1 1/4"	
	101BRB	4"	10		
G	127D	4"	8	Special for aluminum fast straight cuts. 3/16" to 5/8"	5
Н	BST308B	4 1/2"	12	X-tra clean straight cuts on both sides	5
	BST308B25	4 1/2"	12	of all woods.	25
I	BST244D	4"	5-6	Scroll blade for curved and fast cuts in all woods. 1/4" to 2 3/8"	5
J	BST118A	3 5/8"	17-24	Straight cuts in metals up to 1/8" thick.	5
К	BST118GFS	3 1/4"	36	Straight cuts in stainless steel gauge 8 to 26.	5
L	BST123X	4"	5-10	Fast cuts in metal and fiberglass.	5
М	BST345XF	5 1/4"	10	Fast cuts in wood with nails.	5
N	BST130RF1	3 1/4"	30	Straight or curved cuts in ceramics , glass or fiberglass.	5



**C2**6



Jig	Saw Blades fo	or Wood			
REF	NO.	DESCRIPTION	APPLICATION	TEETH/ INCH	QTY/ BOX
А	99101AO30	Curved cut jig saw blade - splinter-free			30
	99101AO5	on both sides	woods, plywood (5/64" to 3/4")	18	5
В	99101B30	Straight fine cut	Hard and soft woods, plastics, fiberglass, oriented strand board,	10	30
	99101B5	jig saw blade	plywood, and laminated particleboard (3/16" to 1 1/4")		5
С	99101BR30	Reverse pitch jig saw	Hard and soft woods, chipboard,	10	30
	99101BR5	blade - splinter free top side	wood core plywood, fiberboard, laminated board, clean surface		5
D	99101D30	Straight fast and clean cut jig	Hard and soft woods, plywood,	6	30
	99101D5	saw blade	Oriented Strand Board and plastics (1/4" to 2 3/8")		5
E	99144D30	Very fast straight	Soft woods (3/16" to 2"),	6	30
	99144D5	cut jig saw blade	chipboards, wood core plywood, fiberboard, fiberglass and plastic		5

# **Tabletop Edgebander**

Electronically controlled heating element offers infinitely variable heat from 100 to 200° C to accommodate a wide range of edgebanding materials up to 2 1/4" wide.

NO.	QTY/BOX
PPEB101B	1

# Laminate Trimmer

- Rack & Pinion mechanism for fine depth adjustment
- Adjustable guide for trimming laminates
- Ergonomic slim body style for maximum operator comfort and control
   Soft rubber grip design for vibration absorption and comfortable operation

Solutioner gr	ip design for vibration absorption and e	onnortable operatio
NO.	DESCRIPTION	QTY/BOX
MKT3709	LAMINATE TRIMMER 1/4"	1

# Laminate Trimmer Bit with Euro Square Teflon Bearing

Diameter: 1/2	2 in (12.7	' mm)						
NO.	SHANK Ø		CUTTING Ø		CUTTING LENGTH		OVERALL LENGTH	
	MM	IN	MM	IN	MM	IN	MM	IN
BITETH	6.35	1/4	12.7	1/2	7.54	19/64	44.5	1 3/4
BITETT	6.35	1/4	19.1	3/4	15.9	5/8	60.3	2 3/8
BITETT12	12.7	1/2	19.1	3/4	15.9	5/8	66.7	2 5/8

All products are sold by unit except those shown with an \*. These are sold by box.

ORDER





ahe

richelieu.com





# **DB 210 Foreman Electric Pocket Hole Machine**

- Extremely easy to setup and use
- Precise pocket depth and repeatable accuracy
- Creates all three types of Kreg joints

NO.	DESCRIPTION	QTY/BOX
9132059	POCKET HOLE MACHINE	1

# Thakita

# Spline & Biscuit Joiner

- Lightweight and compact design with enhanced ergonomics for maximum manoeuvrability
- Rack & Pinion fence for accurate height adjustements
- Adjustable fence with positive detents at 0°, 45° and 90°

NO.	VOLTAGE	QTY/BOX
МКТРЈ7000	120 V	1

		-	and the second
	A		1
E		/	ens.
-		A	
			4

Wood Spl	Wood Splines				
NO.	SIZE	NUMBER	QTY/BOX		
90000	$47 \text{ MM} \times 14 \text{ MM}$	00	1,000		
90010	53 MM × 19 MM	10	1,000		
90020	60 MM × 23 MM	20	1,000		



#### Dowelmax Classic Kit

The Dowelmax Kit is hand polished and assembled using top-quality machined parts.

- Includes:
- 1 instructional DVD
- 1 instruction manual
- 3 spacers: 1 5/8", 3/4", 3/8"
  1 index pin for longer joints
- 1 distance gauge for long work pieces
- 1 HSS drill bit, collar stop and wrench
- 1 reference bracket 5 drill guides (1 3/4" long)
  1 reference block 1 clamp bracket



QTY/BOX

1

NO. 9141001

628

DESCRIPTION PRECISION ENGINEERED JOINING

Dowels NO. DESCRIPTION Ø × LENGTH QTY/BOX 8 MM × 30 MM (5/16" × 1 3/16") **MP830T** WOOD 1,000 8 MM × 30 MM (5/16" × 1 3/16") 8 MM × 35 MM (5/16" × 1 3/8") 830T WOOD 9,200 **MP835T** WOOD 1,000 835T WOOD 8 MM × 35 MM (5/16" × 1 3/8") 16,400 **MP525T** WOOD 5 MM × 25 MM (13/64 " × 63/64") 1,000 WOOD, PRE-GLUED 8 MM × 30 MM (5/16" × 1 3/16") 883020T 8,000\* MP883020T WOOD, PRE-GLUED 8 MM × 30 MM (5/16" × 1 3/16") 1,000 883520T WOOD, PRE-GLUED 8 MM × 35 MM (5/16" × 1 3/8") 8,000\* 8 MM × 27 MM (5/16" × 1 1/16") MP9827 PLASTIC 1,000



SECTION C





## Heavy-Duty Cutters (Uses LB replacement blades)

• The original heavy-duty cutter

Contoured handle includes a ratchet wheel blade locking mechanism

NO. MODEL DESCRIPTION QTY/BOX 901041 WITH RATCHET WHEEL L-1 6

• Exceptional comfort and safety

• Chemical resistant handle for easy cleaning auto-lock blade

		, , , , , , , , , , , , , , , , , , ,	
901042	LA-X	WITH AUTO-LOCK	6
Replace	ment Blade	s - LB	
• Eight cutt	Eight cutting edges per blade strip		
NO.	MODEL	DESCRIPTION	QTY/BOX
901061	LB	10 SPARE BLADES	6
901073	IB	50 SPARE BLADES	-

# Extra Heavy-Duty Cutters (Uses HB replacement blades)

- Extra heavy-duty sure-grip cutter features a rubber grip insert for positive handle control
- Anti-slip cushion handle for exceptional comfort and safety

NO.	MODEL	DESCRIPTION	QTY/BOX
901049	H-1	WITH RATCHET WHEEL	6
901052	XH-AL	AUTO-LOCK	6
Replace	ment Blade	s - HB	
• Seven cut	ting edges per bl	lade strip	
NO.	MODEL	DESCRIPTION	QTY/BOX
901050	HB	10 SPARE BLADES	6
901075	HB	50 SPARE BLADES	6



18 MM

GTKB650

Hign-Gua	lity Richelleu	i Knives		
SK4 master blade. Positive blade auto-lock				
NO.	MODEL	DESCRIPTION	QTY/BOX	
91291041	18 MM	ABS HANDLE	6	
91291042	18 MM	ABS HANDLE	6	
91291051	25 MM	ABS HANDLE	6	
High-Qua	lity Richelieu	Replacement Blades	5	
High-Qua NO.	lity Richelieu MODEL	Replacement Blades	S QTY/BOX	
	MODEL			
NO.	MODEL 18 MM	DESCRIPTION	QTY/BOX	
NO. 91291061	MODEL           18 MM           18 MM	DESCRIPTION 10 SPARE BLADES	<b>QTY/BOX</b> 6	



All products are sold by unit except those shown with an \*. These are sold by box.

650 SPARE BLADES

1



**QTY/BOX** 

QTY/BOX

QTY/BOX

**QTY/BOX** 

QTY/BOX

**QTY/BOX** 

QTY/BOX

QTY/BOX

1

1

1

100

1

1

1

1

6

6



They last longer than ordinary files

	5	,					
NO.	LENGTH	DESCRIPTION	QTY/BOX	NO.	LENGTH	DESCRIPTION	QTY/BOX
5210	10"	FAST	10	5110	10"	MILL	10
5212	12"	FAST	5	5112	12"	MILL	5
5108	8"	MILL	10	5114	14"	MILL	5





**C**30

NEW!

Tools	i		
Pound Ch	ainsaw File 7/32"		-
NO.	LENGTH	QTY/BOX	Alise and a state
5428	8"	12*	and the second second
10" Alumi	num Flat File		
Double-cut, file	e with a coarse and fast cuttin	g tooth design that is	
,	on soft materials.	OTV/DOV	
NO. 6110	LENGTH 10"	<b>QTY/BOX</b> 10	
0110	10	10	
"PLASTI-C	UT" Duplex Fast/M	ill File	
laminate pla	ill and fast cut file for high pr stic and veneer ger than ordinary files	essure decorative	
NO.	LENGTH	QTY/BOX	
515210	10"	10	
<ul> <li>Specially des</li> </ul>	Brush for Files signed to clean files and preve llts, pull the card across the fil ves		
NO.	LENGTH	QTY/BOX	
00010	10"	10	
Includes : • 1/4", 1/2", 3, • Pocket diamo	/4" and 1" pocket chisels • Po ond sharpener • Po	ocket putty knife	
NO.	DESCRIPTION	QTY/BOX	
918898	COMPLETE	1	
<b>3/4" Rich</b> • Large feet fo	elieu Pipe Clamp r stability		
NO.	DESCRIPTION	QTY/BOX	
9129034	CLAMPING TOOL	1	
2 //!" Dine	, One Side Threadec		
3/4 Pipe For product # 9			
NO.	LENGTH	QTY/BOX	
PIPEBLK34	48"	1	
Dishelis		Clampa	-
-	Squeezer/Spreader -beam bar that resists twistin		
	ximum force to be applied	g and bowing,	
NO.	LENGTH	QTY/BOX	
9129006	6"	1	
9129012	12"	1	
<b>Richelieu</b>	Spring Clamps		-
High-tech res	sin construction for strength a		
	pads to protect your workpie		
NO. 9129001	OPENING WIDTH	<b>QTY/BOX</b>	
9129001	2"	1	
9129002		1	

All products are sold by unit except those shown with an \*. These are sold by box.

1

3"

9129003



C31

# SECTION C









# **3-Way Clamp**

- Combines a spring clamp and an edge clamp in one unit
- Approx. 30 lb. of edge pressure

NO.	QTY/BOX
912933	1

# Parallel Jaw Clamps

A precise 90° angle - up to 1,150 lb
3 3/4"-deep jaw for optimized pressure distribution

• 5 5/4 deep jaw for optimized pressure distribution		
NO.	<b>CLAMPING CAPACITY</b>	QTY/BOX
9129024	24"	1
9129036	36"	1
9129048	48"	1

# Richelieu Clamp & Cut Guide

• Cuts on angles up to 22.5°

NO.	QTY/BOX
9129050	1

# Adjustable Heavy-Duty Malleable F Clamps Throat depth: 5"

NO.	<b>CLAMPING CAPACITY</b>	QTY/BOX
9129251	12"	1
9129252	24"	1

# Euro Cabinetry Clamp

Standard F clamp fitted with a unique head featuring two tapered 5 mm pins, 32 mm apart to fit into any standard Euro-style shelving system, designed for scribing and fastening stile trim to cabinets and shelving.

NO.	<b>CLAMPING CAPACITY</b>	QTY/BOX
912932	4 1/2"	1

Push Toggle Clamp			
NO.	HOLDING CAPACITY	QTY/BOX	
9129004	851 LB	1	

Horizontal Handle-Toggle Clamp				
NO.	<b>CLAMPING CAPACITY</b>	QTY/BOX		
9129005	2"	1		
9129007	2"	1		
9129008	4"	1		

# Gorilla Grippers (Carry Handle)

Effective and essential hand tool for gripping and lifting a variety of construction industry building materials that are large, unwieldy and heavy.

NO.	CLAMPING CAP.	DESCRIPTION	QTY/ BOX
911044009	0 TO 3/4"	GENERAL PURPOSE	1
911044010	3/8" TO 1 1/8"	CONTRACTOR	1
911044011	1 1/4" TO 2"	DOOR	1



SECTION C

Richelieu Pozidriv Screwdriver				
• Length: 200 mm (7 7/8") • Bit length: 100 mm (3 15/16")				
NO.	DESCRIPTION	QTY/BOX		
642101	No. 2 bit size	1		
47838R	Screwdriver Magnetizer/Demagnetizer	5		

## **Richelieu Square Drive Screwdriver**

- Length: 200 mm (7 7/8")
- Bit length: 100 mm (3 15/16")

   NO. SIZE COMPATIBLE COLOR
   SCREWS

		SCREWS			
642105	No. 1	No. 5, 6, 7	RED	1	
642106	No. 2	No. 8, 9, 10	GREEN	1	

**QTY/BOX** 

1

Torx 2	O Richelieu Screwdriver	
	: 200 mm (7-7/8") gth: 100 mm (3-15/16")	
NO.	DESCRIPTION	QTY/BOX

## **Richelieu Ratcheting Driver**

T20 bit size

642104

A ratchet that delivers over 225 inch-lbs of torque strength with a rubberized cushion grip handle. A precision 28-Tooth ratchet design makes driving fasteners faster and easier. The only screwdriver bits using 1-inch (25 mm). The Bit Assortment features 6 popular double end (12 tips) industrial grade durable S2 Steel bits with a HRC of 60 /- 2. The Shaft opening serves as a 1/4" hexagonal driver.

NO.	QTY/BOX
642005	1

# Richelieu Original Multi-Bit Driver

The Original bit-load driver is our most popular. Loaded with 7 double ended professional quality bits, this assortment provides 14 of the most popular tips for driving screws. The shaft opening serves as a 1/4" hex driver, hence "15 in 1"!

NO.	DESCRIPTION	QTY/BOX
642004	<ul> <li>2 Phillips S2 steel double end bit sizes: 1-2,0-3</li> <li>1 Square (Robertson) S2 steel double end bit sizes: 1-2</li> <li>1 Pozzi S2 steel double end bit size: 1-2</li> <li>2 Torx (Star) S2 steel double end bit sizes: 10-15, 20-25</li> <li>1 Flat (Slot) S2 steel double end bit sizes: 4-6</li> </ul>	1







All products are sold by unit except those shown with an \*. These are sold by box.







#### Angle Driver for Screwdriver Bits

- · Compact design allows work in tight areas
- Durable all metal housing and steel gears
- Rated up to 235 in-lb of torque
- Accepts standard 1/4" hex shank bits

NO.



ANGLEDRIVER

QTY/BOX
1



# Thakita **Makita Interlocking Cases**

#### • 4 Sizes Available

- Ideal for creating custom job box kits for specific applications, end users, job sites and more!
  - Length: 15.6"
  - Width: 11.6'

Plastic

- Thashe		
NO.	HEIGHT	QTY/BOX
MKT1972109	4 1/8"	1
MKT1972117	6 3/16"	1
MKT1972125	8 5/16"	1
MKT1972133	12 3/8"	1

# NEW



# Makita Tool Case Foam Insert

- Measures 2 1/2" thick × 15 1/8" wide × 11 1/4" deep
  Features 1/2" base layer and 2" pre-scored layer
- · Easily customized to unique configuration for tools, parts and accessories
- Provides a maximum protection

NO.	DESCRIPTION	QTY/BOX
MKT02571	FOAM INSERT	1



# **Richelieu Tool Bag**

- Tool bag with shoulder strap
- Three large compartments with 16 pockets to organize tools and accessories Bag has a reinforced bottom and is water resistant

NO.	DESCRIPTION	QTY/BOX
91291316	TOOL BAG	1



SECTION C





# **PROCARPENTER** Tape Measure

- Erasable notepad
- Lever action belt clip
- Rugged compact casing
- Dual locking system
- Pencil sharpener

Α

В

 High contrast tape
 Heavy duty 1 inch blade NO. DESCRIPTION SIZE QTY/BOX 916399 "STANDARD, HYPOTENUSE SQUARE ONE" 25' 1 "STANDARD" 916418 16' 1 "STANDARD" 916419 25' 1 916412 "STORY POLE" STANDARD 16' 1 "STORY POLE" STANDARD 916414 25' 1 "STORY POLE - LEFTY / RIGHTY" STANDARD 916417 16' 1 "STORY POLE - LEFTY / RIGHTY" STANDARD 916427 25' 1 916416 "STANDARD" - AUTO-LOCK AND ERGONOMIC 16' 1

С	916413	"METRIC/STANDARD"	12'	1	
	916415	"METRIC/STANDARD" RICHELIEU	16'	1	
	916425	"METRIC/STANDARD" 1 IN.	25'	1	
	916532	"METRIC TRUE 32 - LEFTY / RIGHTY"	5 M	1	
	916411	"METRIC/STANDARD" - AUTO-LOCK	16'	1	

Richelieu Tape Measure			
NO.	DESCRIPTION	SIZE	QTY/BOX
91291634	"STANDARD" - ABS	16'	1
91292510	"STANDARD" - ABS	26'	1

Burn One Tape Measure			
Burn space at the beginning of the scale      Easy to grab hook			
NO.	DESCRIPTION	SIZE	QTY/BOX
916406	"STANDARD"	16'	1

# **Reversible Improved Tape Measure**


Peel-and-stick tape measure.			
NO.	DESCRIPTION	SIZE	QTY/BOX
917424	"STANDARD"	16'	1
917425	"METRIC/STANDARD"	16'	1

Rigid Precision Stainless Rule			
NO.	DESCRIPTION	SIZE	QTY/BOX
91262111	"STANDARD"	6"	1
91262114	"METRIC/STANDARD"	6"	1

All products are sold by unit except those shown with an \*. These are sold by box.









richelieu.com



No Mixing



## "FAMOWOOD" Wood Filler

FAMOWOOD Water-Based Wood Filler requires no mixing. It spreads smoothly and evenly into small or large holes & cracks.

- Dries in 15 minutes
- Suitable for indoor or outdoor use
- Can be cleaned up with soap and water

NO.	COLOR	VOLUME	QTY/B0X
WP40002126	NATURAL	1 GALLON (12 LB)	2
WP40022118	FIR/MAPLE	473 ML (16 OZ)	12
WP40022126	NATURAL	473 ML (16 OZ)	12
WP40022152	GOLDEN OAK	473 ML (16 OZ)	12
WP40042106	BIRCH	118 ML (4 OZ)	12
WP40042112	CHERRY/DARK MAHOGANY	118 ML (4 OZ)	12
WP40042118	FIR/MAPLE	118 ML (4 OZ)	12
WP40042126	NATURAL	118 ML (4 OZ)	12
WP40042128	ОАК	118 ML (4 OZ)	12
WP40042134	RED OAK	118 ML (4 OZ)	12
WP40042142	WALNUT	118 ML (4 OZ)	12
WP40042144	WHITE	118 ML (4 OZ)	12
WP40042148	WHITE PINE	118 ML (4 OZ)	12
WP40042152	GOLDEN OAK	118 ML (4 OZ)	12
WP404026	NATURAL	96 ML (3.25 OZ)	12





Backgrour Touch-Up I	nd Markers <b>(</b> F	ast Drying	
Fast drying opaque color markers used to replace the background color over wood filler repairs of all types.			
NO.	DESCRIPTION	QTY/B0X	
M2945012	12 MARKER ASSORTMENT	12	



## Instant "PRO-MARK™" Touch-Up Markers

Excellent flow. The colors are the most fade resistant and they have the best bleed resistance.

NO.	DESCRIPTION
M2671202	ASSORTED 12 COLORS #1
M2671204	ASSORTED 12 COLORS #2
M2671206	ASSORTED 12 COLORS #3
M2671208	ASSORTED 12 COLORS #4
M2672680	ASSORTED 24 COLORS WITH POUCH
M2673600	ASSORTED 36 COLORS



#### Instant "ULTRA MARK™" Touch-Up Markers

Contains light-fast pigments which seal, stain and finish - in one easy operation. Available in more than 165 colors

NO.	DESCRIPTION
M2801200	12 STANDARD ASSORTMENT
M2802401	24 STANDARD ASSORTMENT
M2803600	36 STANDARD ASSORTMENT
M2807200	72 STANDARD ASSORTMENT
M2804720	72 TREND ASSORTMENT





# **Touch-up Products**

### "FIL-STIK™" Putty Sticks

Semi-hard putty sticks used to fill in nicks and scratches or open corner joints. Can be protected with Tone Finish® aerosols or other coatings. Available in more than 40 colors.

NO.	DESCRIPTION
M2301200	12 PACK ASSORTMENT
M2301210	12 PACK MAPLE/WALNUT ASSORTMENT
M2301220	12 PACK LIGHT COLOR ASSORTMENT
M2301250	12 PACK STANDARD COLOR ASSORTMENT
M2302400	24 PACK FURNITURE STORE ASSORTMENT
M2306200	62 PACK STANDARD COLOR ASSORTMENT
M2316000	60 PACK TREND COLORS ASSORTMENT
M2304720	72 NEW COLOR ASSORTMENT

## "BLENDAL STICKS™"

Color Replacement Used to add or alter color when repairing and touching up wood.

NO.	DESCRIPTION	
NO.	DESCRIPTION	
M3401200	12 PACK ASSORTMENT	#1
M3401202	12 PACK ASSORTMENT	#2
M3401203	12 PACK ASSORTMENT	#3
M3401204	12 PACK PRIMARY &	
1013401204	EARTH TONE ASSORTMENT	
M3403600	36 PACK ASSORTMENT	

### Hard Fill Stick Kit

• Contains all the products and tools needed to repair minor and medium defects in wood and rigid plastics

 Recommended for repairs to floors, tops, fronts, sides, doors, drawers and wood surfaces

NO.	DESCRIPTION	QTY/BOX
M3109990	1 KIT CONTAINS 40 PCS	1

### Brush Tip Graining Markers

This revolutionary marker and tip allows you to apply color exactly where it is needed without any messy powders, fluids, or odours. This is simply the easiest marker that you will ever use!

Available in more than 30 colors

NO.	DESCRIPTION	
M2652201	6 PACK ASSORTMENT	#1
M2652202	6 PACK ASSORTMENT	#2
M2651203	6 PACK ASSORTMENT	#3
M2651204	6 PACK ASSORTMENT	#4

### SeamFil Kits for Plastic Laminate Repair

Repair nicks, seams and gouges with ease. SeamFil bonds mechanically to the substrate of laminate. This product dries hard and becomes a permanent part of the laminate surface. It resists moisture, detergents and other household products as effectively as the original laminate.

ANDARD COLORS
OODGRAIN COLORS

All products are sold by unit except those shown with an \*. These are sold by box.



SECTION D







D37



ichelieu.com



# **Finishing Products**



**Oils, Lacquers & Sealers** 

Dr:







BEHLEN

NEW!

BEHLEN

### Modified Tung Oil

Recognized as fast drying, hard, resistant to water, acid, alkali and mildew.

NO.	DESCRIPTION	VOLUME	QTY/ BOX
M7011596	PROTECTION OIL	32 OZ (946.35 ML)	4
M7011597	PROTECTION OIL	1 GALLON (3.79 L)	2

### Danish Oil

Polymerized wood finish, combines penetrating oils with resins to produce a natural oil finish on unfinished wood.

			BOX
M7001507	NATURAL	1 GALLON (3.79 L)	2
M7001508	NATURAL	5 GALLONS (18.93 L)	1

Flat Oil Fi	nish		
Spray over spot repairs to reduce gloss so as to blend in with the sheen of the surrounding finish.			
NO.	DESCRIPTION	VOLUME	QTY/ BOX
M1020424	PROTECTION OIL	13 OZ (384.46 ML)	12

### Teak Oil

Teak Oil penetrates the wood and dries hard unlike linseed oil or other oil finishes which become tacky when exposed to heat. The recommended oil finish for teakwood, monkeypod, zebrawood, rosewood and other similar oily types of woods.

NO.	DESCRIPTION	VOLUME	QTY/ BOX
M7001416	PROTECTION OIL	32 OZ (946.35 ML)	6

### Salad Bowl Finish

Non-toxic finishing varnish. Safe for food contact and toys.

DESCRIPTION	VOLUME	QTY/ BOX
PROTECTION OIL	8 OZ (236.58 ML)	6
PROTECTION OIL	16 OZ (473.18 ML)	1
PROTECTION OIL	1 QT (946.35 ML)	1
	PROTECTION OIL PROTECTION OIL	PROTECTION OIL 8 OZ (236.58 ML)

### **Protection Oil for Counters**

<ul> <li>Suitable for food preparation surfaces and cooking utensils</li> </ul>			
NO.	DESCRIPTION	VOLUME	QTY/B0X

-			
001512	PROTECTION OIL	15 OZ (443.6 ML)	12



### Sealer Gel "EZ-DO"

<ul> <li>Seals and pr</li> </ul>	rotects wood surfaces		
NO.	DESCRIPTION	VOLUME	QTY/BOX
00166	"EZ-DO" SEALER GEL	16 OZ (473.18 ML)	12





Δ

В



### A- Value Masking Tape 101+

Multipurpose masking utility-grade paper tape for holding, bundling, sealing, non-critical masking and a wide variety of other jobs where a pressure-sensitive tape is needed.

Roll of 55 linear meters

3M

NO.	WIDTH	QTY/B0X
1011255	1/2"	72
1011855	3/4"	48
1012455	1"	36
1013655	1 1/2"	24
1014855	2"	24
1017255	3"	12

### R. 'PAINTER'S GRADE' **Masking Tape**

Industrial Painter's Tape 205 has a medium adhesion level and up to 5-day removability which makes it ideal for masking trim, woodwork, painted walls, glass, metal, etc. Roll of 55 linear meters

NO.	WIDTH	QTY/BOX
2051255	1/2 "	72
2051855	3/4"	48
2052455	1"	36
2053655	1 1/2"	24
2054855	2"	24
2057255	3"	12

### **C- "SUPERIOR PAINTER'S GRADE" Masking Tape**

Paint Line Protector is not like other paint-blocking technologies. This protector is a 3M proprietary treatment designed to help improve paint lines. Roll of 55 linear meters

NO.	WIDTH	QTY/B0X
20802455	1"	36
20803655	1 1/2"	24
20804855	2"	18



### 'SOLVENT & TEMPERATURE' n. **Masking Tape**

Masking tape that can be used for paint masking up to 200°F (93°C). Easy, controlled unwinding from the roll. Instantly adheres to a wide variety of surfaces. Roll of 55 linear meters

NO.	WIDTH	QTY/B0X
2031855	3/4"	48
2032455	1"	36
2033655	1 1/2"	24
2034855	2"	24
2037255	3"	12
2039655	4"	8

### E- Cloth "DUCT TAPE"

A versatile and practical choice for conformable bundling, moisture resistance and general repairs.

- Silver polyethylene backing over a cloth scrim conforms to most surfaces to resist moisture and prolong the tape bond in moist or humid environments
- Rubber pressure sensitive adhesive sticks well on contact to metal, plastic, concrete, and other surfaces
- Tears straight across easily with tack-free edges Roll of 45 linear meters

NO.	WIDTH	QTY/B0X
29294845	2"	24

All products are sold by unit except those shown with an \*. These are sold by box.

















### **Protection Blankets**

- Zigzag stitch pattern of 1 ", double stitched border
- Lighter weight pad provides good protection for furniture in
- transit • Size: 80" × 72"

SILCTOU XTL		
NO.	DESCRIPTION	QTY/BOX
M9951104	PROMOVER, BLUE	PER UNIT (7 LB)
M9951102	PREMIUM, GREEN	PER UNIT (5.20 LB)
M9951107	HEAVY-DUTY, BLACK	PER UNIT (7.51 LB)

### **Glue Brushes**

Made of pure white silk bristles for glue and general uses.

!	5	5
NO.	DIMENSIONS	QTY/B0X
4016405	1/2" (12.7 MM)	24
4016411	1" (25.4 MM)	24*
4016412	2" (50.8 MM)	24
4016413	3" (76.2 MM)	12*
4016414	4" (10.16 CM)	12

### Foam Brush Kit

- Glides on any smooth surface leaving an airbrush finish
- Perfect for all kinds of touch-up work on furniture, floors, windows, etc.
- Use with any paint, varnish or stain

NO.	DIMENSIONS	QTY/BOX
4013825	1", 2", 3"	48

### **Paint Brushes**

Made of mixed polyesters. They have a plastic handle and can be used for oil paint applications as well as latex paint applications.

NO.	WIDTH	QTY/B0X
4015091	1" (25.4 MM)	12
4015092	2" (50.8 MM)	12
4015093	3" (76.2 MM)	12

### **Varnish Brushes**

These brushes are made of pure black bristle especially made for the varnish. They have a coppered steel ferrule to resist corrosion and a natural wood handle. They are also excellent for oil paint.

NO.	WIDTH	QTY/BOX
4016630	1 1/4" (31.75 MM)	12
4016650	2" (50.8 MM)	12
4016675	3" (76.2 MM)	12

### Straight Scrapers

• Flexible, stainless steel blade

NO.	DIMENSIONS	QTY/BOX
4042171	1 1/4" (31.75 MM)	12
4042172	2" (50.8 MM)	12
4042173	3" (76.2 MM)	12



### **Polyester Rollers**

PVC core of 38 mm diameter. They are excellent for various applications.

NO.	DIMENSION	QTY/BOX
4038310	3" × 1 1/2" Ø (76.2 MM × 38 MM Ø)	200
4038950	9 1/2" × Ø 1 1/2" (24.13 CM × 38 MM Ø)	120

### **Roller Cages**

These roller cages provide a secure hold for the roller. They have a solid black handle made of plastic.

NO.	LENGTH	QTY/BOX
4003648	3" (76.2 MM)	24
4009565	9 1/2" (24.13 CM)	24

### **Paint Trays**

Good quality at a very reasonable price. These paint trays are made of solid black plastic. They can be used for glue applications as well as for oil or latex paint.

NO.	WIDTH	VOLUME	QTY/BOX
4052014	SOLID 4" (10.16 CM)	1.05 PT 0.5 L	100
4052011	ECONOMICAL 9 1/2" (24.136 CM)	4.23 PT 2 L	42

### **Richelieu Measuring Cup**

Measure accurately and consistently with metric and imperial scales.

	, ,	
NO.	DESCRIPTION	QTY/BOX
9632	CAPACITY: 32 OZ (946 ML)	100
9633	COVER FOR 9632	100
9680	CAPACITY: 80 OZ (2.37 L)	100
9681	COVER FOR 9680	100

### **Recycled Cotton Rags**

These affordable wipers are an excellent choice for general projects. This product is extremely appreciated by furniture manufacturers (staining) and painters. • Sizes: Min. of 16" × 16" (406 mm × 406 mm)

NO.	COLOR	QTY/BOX
2221030	WHITE	1 BAG (20 LB)
2221000	VARIOUS COLORS	1 BAG (20 LB)

### Jersey Rags - New & Washed

Seamless and lint free

- Ideal for applying and removing stain
  Size: 18" × 18" (457 × 457 mm)

NO.	COLOR	QTY/BOX
2220030	WHITE	1 BAG (20 LB)

All products are sold by unit except those shown with an \*. These are sold by box.











2221000





ichelieu.com





### 3M<sup>™</sup> ACCUSPRAY<sup>™</sup> Gun System with PPS

All inclusive spraying solution providing the equivalent of multiple brand new spray guns on demand, for a fraction of the cost. The innovative Accuspray replaceable atomizing head spray gun eliminates spray gun maintenance kits and the replaceable transparent atomizing heads allow the user to visually confirm the spray gun is clean. Kit contains:

- 1 each Accuspray<sup>™</sup> ONE Spray Gun with colour indicator rings
- 4 Accuspray<sup>™</sup> atomizing heads in sizes 1.4mm and 1.8mm 1 airflow control valve
- 5 each liners and lids (1 each w/125 micron filter, 4 each w/200 micron filter)
- 1 each standard size 22oz PPS<sup>™</sup> hard cup and retaining ring
- 1 mixing/measuring insert
- Instruction manual

NO.	DESCRIPTION	QTY/BOX
AC16580	COMPLETE KIT	1

E42



### 3M<sup>™</sup> ACCUSPRAY PPS<sup>™</sup> High Output Mini Pressure Cup

Use this PPS H/O Pressure Cup in place of gun-mounted - or detached - 1 and 2 quart pressure pots. The PPS (Paint Preparation System) uses a rigid cup and collar which hold a disposable liner and a lid with an integral strainer.

- Designed for gravity feed or traditional siphon spray gun systems
- Eliminates the need for separate mixing cups and filters
- Offers up to 70% reduction in solvent use for gun and parts cleaning
- Reduced hazardous waste generated by equipment cleaning
- Virtually any spray gun can be adapted to the PPS paint cup system

NO.	DESCRIPTION	VOLUME	QTY/BOX
3116121	HIGH OUTPUT MINI PRESSURE CUP	6 OZ (177 ML)	4



### **3M™ ACCUSPRAY PPS™** High Output Pressure Cup and Collar

This product is intended for use in place of metal cups on most pressure cup guns. Cleaner, faster spray painting system that is safe from outside contamination.

- Leftover paint can be stored for later use without any need to remix
- Range of cup and liners sizes that enables the painter to mix only the desired amount of paint required for a particular job
- · Paint gun can spray at any angle, including upside down
- Internal vacuum within the liner allows the container to collapse around the paint, so there is always paint pressure on the nozzle

NO.	DESCRIPTION	VOLUME	QTY/BOX
3116124	HIGH OUTPUT STANDARD PRESSURE CUP	29 OZ (858 ML)	1



SECTION E

NEW!

NEW!

### 3M<sup>™</sup> ACCUSPRAY PPS<sup>™</sup> Kit

Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs.

- Closed system no outside contamination
- Faster system from mixing to disposal
- Less operator exposure to solvents and reduction in VOC's
   Spray gun functions at any angle

spray gui functions at any angle			
NO.	DESCRIPTION	VOLUME	QTY/BOX
3116000	MINI	6 OZ (177 ML)	50
3116114	STANDARD	22 OZ (651 ML)	50
3116024	LARGE	28 OZ (840 ML)	50

3M™ ACCUSPRAY PPS™ Cup & Collar	
Hard cup that supports and holds the 3M PPS Flexible Liner.	

NO.	DESCRIPTION	VOLUME	QTY/BOX
3116115	MINI	6 OZ (177 ML)	2
3116001	STANDARD	22 OZ (651 ML)	2
3116023	LARGE	28 OZ (850 ML)	2



1:1:0

		E	2
NE	w!		
-	_		

VOLUME

13.5 OZ (399 ML)

**QTY/BOX** 

50

Midi kit contains 50 lids with 200 micron filters, 50 liners and 20

Midi 400 ml or 13.5 oz size, hard cup that supports and holds the PPS Midi flexible line.

3M™ ACCUSPRAY PPS™ Midi Kit

DESCRIPTION

MIDI

sealing plugs.

3116112

NO.	DESCRIPTION	VOLUME	QTY/BOX
3116122	MIDI	13.5 OZ (399 ML)	4



ichelieu.com

### 3M<sup>™</sup> ACCUSPRAY<sup>™</sup> Atomizing Head

Replaceable atomizing heads for use with the  $3M^{\text{TM}}$  Accuspray^{\text{TM}} Spray Gun.

- Reduces primer consumption
- Minimizes overspray
- Boosts productivity
- Reduces gun cleaning time

NO.	DESCRIPTION	SIZE	QTY/BOX
AC16612	FOR USE WITH 3M SPRAY GUN HG14	1.4 MM	4
AC16611	FOR USE WITH 3M SPRAY GUN HG09	1.8 MM	4
3116609	FOR USE WITH 3M SPRAY GUN HGP20	2.0 MM	4

All products are sold by unit except those shown with an \*. These are sold by box.



E43








### **Pocket Dust Mask**

Perfect for general purpose non-toxic applications where dust and particles are present. • Easy breath valve • NIOSH N95 rated



# 3M



The 3M<sup>™</sup> Particulate Respirator 8511 is ideally suited for work settings that involve heat, humidity or long periods of wear. ● NIOSH approved N95

NO.	DESCRIPTION	COLOR	QTY/BOX
9608511	DUST MASK	WHITE	10

### Dust Mask - N95 9211 for Maintenance

At least 95% filtration efficiency against solid and liquid aerosols that do not contain oil. • NIOSH a pproved N95

NO.	DESCRIPTION	COLOR	QTY/BOX
9609211	DUST MASK	WHITE	10



3M

19211 (E

Dust Mask - N95 8210			
For protection against certain non-oil based particles. • NIOSH approved N95			
NO.	DESCRIPTION	COLOR	QTY/BOX
9608210	DUST MASK	WHITE	20





Lightweight

With valve

SECTION F

### Half-Face Respirator Series 6000

With his low profile, this respirator provides a greater sight and allows to wear safety glasses. Recognized by NIOSH/MSHA for both sizes. • The most lightweight and adjustable respirator offered on the market

NO.	DESCRIPTION	DIMENSION	QTY/BOX
9606200	HALF-FACE RESPIRATOR	MEDIUM	24
9606370	FULL KIT	MEDIUM	4
9606300	HALF-FACE RESPIRATOR	LARGE	24
9606371	FULL KIT	LARGE	4



### Half-Face Siliconed Respirator Series 7500

This half-face reusable respirator, 7500 Series, uses advanced silicone material to help provide comfortable and durable respiratory protection. The Cool Flow Valve helps make breathing easier and reduces heat and moisture build-up for cool, dry comfort.

NO.	DESCRIPTION	SIZE	QTY/BOX
9607502	HALF-FACE RESPIRATOR	MEDIUM	10
9607503	HALF-FACE RESPIRATOR	LARGE	10

### Half-Face Respirator Series 6500QL

Designed with tough and dirty work environments in mind. Stay productive and protected – the 6500 Series delivers durability and stability with a firm, lightly textured silicone faceseal and strong body construction.

NO.	DESCRIPTION	SIZE	QTY/BOX
9606501	HALF-FACE RESPIRATOR	SMALL	10
9606502	HALF-FACE RESPIRATOR	MEDIUM	10
9606503	HALF-FACE RESPIRATOR	LARGE	10

# NEW!

### Replacement Cartridge for 6000 & 7500 Series

Protects against some organic vapors from spray painting and pesticide spraying

NO.	DESCRIPTION	QTY/BOX
9606001	FOR MASKS 9606200 AND 9606300	10 PAIRS
9609224	PARTICULATE FILTER 2071 FOR 6000 & 7500 SERIES	50 PAIRS
9605171	FILTER RETAINER FOR 6000 & 7500 SERIES	20
9605071	PRE-FILTER REPLACEMENT FOR 6000 & 7500 SERIES	10



All products are sold by unit except those shown with an \*. These are sold by box.



F45

NEW!



### "Phantom OTG" Safety Goggles

- This "OTG" style can be use over top of prescription glasses.
- Indirect ventilation providing maximum protection against chemical splashes
- Large comfortable soft frame
- Wide one piece lens
- Anti-Fog protection
- The lenses are protected with anti-fog, anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	COLOR	QTY/BOX
DNEPMK01C	CLEAR	1



NEW!

### "Ultra-Tek" Safety Goggles, OTG

This "OTG" style can be use over top of prescription glasses.

- Soft, lightweight PVC frame
- 4 cap vents provide indirect ventilation
- Neoprene strap for better resistance to solvents and chemicals
- Maximum panoramic and peripheral field of vision
   The langes are protosted with anti-fag, anti-scretch an
- The lenses are protected with anti-fog, anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	COLOR	QTY/BOX
DNEP40	GREEN	1

### Fusion Safety Glasses Maximum Comfort

- "Flexi-Fit" Adjustable soft nose piece for increased comfort
- "EZ-ON" temples redistributes the pressure on your temples evenly
- · Good for humid environments
- Large 9° base curved double lens design molded in one piece
- Offers full protection coverage and extra wide viewing field
- High impact resistant polycarbonate lens
- The lenses are protected with anti-fog, anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	COLOR	QTY/BOX
DNEP650C	BLACK	10



### Renegade Reader's Diopter Safety Glasses, Adjustable Temple Arms

- "Flexi-Fit" Adjustable soft nose piece for increased comfort
- Stylish European design
- 8.50 base curve dual lens design for wrap-around coverage
- Adjustable temple arms length
- The lenses are protected with anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	DIOPTER	COLOR	QTY/ BOX
DNEP400TGC15	+1.5 DIOPTER	TRANSLUCENT GRAY	12
DNEP400TGC20	+2.0 DIOPTER	TRANSLUCENT GRAY	12
DNEP400TGC25	+2.5 DIOPTER	TRANSLUCENT GRAY	12







### SECTION F

### "OTG Extra" Safety Glasses, "EZ-ON" system

This "OTG" style can be use over top of prescription glasses.

- "Flexi-Fit" Adjustable soft nose piece for increased comfort
- "EZ-ON" temples redistributes the pressure on your temples evenly
- Adjustable branches giving you the possibility to adjust the lens up and down for better vision
- The lenses are protected with anti-fog, anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	COLOR	QTY/BOX
DNEP750C	BLACK	10

### "Mini Specta" 3 in 1 Safety Goggles

For light and medium duty performance.

- Fast and easy interchangeable temple arms/strap included with each pair
- Easily removable foam padding forms a seal to keep dust and air born particles out
- The lenses are protected with anti-fog, anti-scratch, anti-UV, anti-static coatings
- CSA Z94.3-7 certified and meets and/or exceeds ANSI Z87.1 requirements

NO.	COLOR	QTY/BOX
DNEP950C	BLACK	10

"OX" Clear Anti-Fog Safety Glasses		
To be worn over pre • Lightweight and • Sturdy and durat • Wraparound side • Flexible, polycart	adjustable ble	
NO.	COLOR	QTY/BOX
96012166	BLACK	20

### "VIRTUA" Anti-Fog Safety Glasses

- Sporty, sleek unisex styling
- 9 base curve lens
- Comfortable, ultra light frame
- High impact polycarbonate filters 99.9% UV
   Meets ANSI 787 1-2003 and CSA 794.1 standards

<ul> <li>Meets ANSI 287.1-2003 and CSA 294.1 standards</li> </ul>		
NO.	DESCRIPTION	QTY/BO
9609231	VIRTUA AP. CLEAR	20

### "BX" Anti-Fog Safety Glasses

- All the comfort for a very comfortable price
- Fully adjustable and high style
- Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- Clear anti-fog lenses
- Adjustable length temple
- Lens angle adjustability
  Adjustable nose bridge

- Adjustuble hose blidge		
NO.	COLOR	QTY/BOX
9609232	SILVER	20

All products are sold by unit except those shown with an \*. These are sold by box.









Х



**Richelieu** ichelieu.com F47

# Safety

### SECTION F



### **CatEyes Safety Glasses**

These safety glasses are ultra comfortable, super affordable and great looking.

- Shatterproof and scratch resistant
- Reinforced temples ANSI Rated : Z87.1

NO.	DIOPTER	QTY/B0X
916846	+1.5 DIOPTER	12
916847	+2.0 DIOPTER	12
916848	+2.5 DIOPTER	12
916849	+3.0 DIOPTER	12

# 'CLASSIC" Earplugs • Slow-recovery foam helps ensure comfort and minimize pressure

### Moisture resistant, helps reduce moving and shifting problems when used in moist environments

- ANSI \$3.19-1974; CSA Class AL
- NRR: 29dB

NO.	DESCRIPTION	QTY/BOX
9609217	FOAM EARPLUGS	200 PAIRS

### "E-A-Rsoft" Earplugs

3M E-A-Rsoft Yellow Neons earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort.

• These foam earplugs offer a soft, low- Highest NRR available Ultimate comfort pressure solution for comfortable wear Poly bag keeps earplugs clean before use
 NRR 33 dB / CSA Class AL .... FCODIDTION

NO.	DESCRIPTION	QIY/BUX
9609226	FOAM EARPLUGS	200 PAIRS

### "E-A-Rsoft FX" Earplugs

- Patented bell shape and super-soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry Custom polyurethane foam formulation provides slow recovery and
- extreme softness for optimum comfort Best NRR: 33dB

NO.	DESCRIPTION	QTY/BOX
9609218	FOAM EARPLUGS (CORDLESS)	200 PAIRS



### 'Ultra-Fit" Earplugs

- These durable, reusable corded earplugs are easy to use again and again, reducing waste
- Poly bag keeps earplugs clean before use
- Single size fits comfortably in most ear canals
- Premolded, triple-flange earplug design inserts easily ٠
- No rolling or sizing needed to get a comfortable, protective fit Washable and reusable
- Noise Reduction Rating (NRR)\*: 25dB. CSA Class AL

• Noise Reduction Rating (NRR) . 2500. CSA Class AL		
NO.	DESCRIPTION	QTY/BOX
9609227	"ULTRA-FIT" CORDED EARPLUGS	100 PAIRS









NEW!

C M

### **Banded Ear Protection "Lite-Band**"

This light-weight (just 8 g) banded ear protector is ideal for short term use, such as people moving in and out of noisy areas or for visitors.

- Meets ANSI S3.19-1974 regulation and Canadian Class A(L) Standards
   Innovative and unique, soft, oval shape foam earplug guarantee of the most comfortable fit
- The band is ergonomically shaped and its stability limits contact with clothing and resulting sound transmission
- The lightest banded ear protector available in the market

NO.	DESCRIPTION	COLOR	QTY/BOX
DNNP105	BANDED EAR PROTECTION	BLACK/ GREEN	10

### "Optime 98" Earmuffs

- For noise levels up to 98dBA, delivers effective protection for mid-range environments comfortably
- Dual low-pressure bands improve comfort
- Broad foam cushions provide low surface pressure
- NRR 25dB ANSI S3.19-1974/CSA Z94.2

NO.	DESCRIPTION	QTY/BOX
9609219	GENERAL PURPOSE EARMUFFS	10

### "Optime 101" Earmuffs (helmet mount)

- For noise levels up to 101 dBA, these cap-mount earmuffs provide effective hearing protection
- Cap-mounted design allows for easy use with most hard hats
- Liquid/foam filled ear cushions
- Color-coding for compliance sighting
  Noise Reduction Rating (NRR)\*: 24 dB. CSA Class A

······································		-
NO.	DESCRIPTION	QTY/BOX
9609229	HELMET MOUNT EARMUFFS	10

### **Protection Hard Hats**

Hard hat features accessory slots for earmuff attachment and/or headgear and face shield attachment.

- Comfortable 4-point ratchet suspension system with height adjustment
- Low-profile, short brim design for balance, stability and upward visibility
- Replaceable brow pad
- Meets the requirements of ANSI/ISEA Z89.1-2009 Type I, Class C, G & E

NO.	DESCRIPTION	QTY/BOX
9609233	WHITE	20
9609234	YELLOW	20





F49

\*Noise Reduction Rating

All products are sold by unit except those shown with an \*. These are sold by box.

















### Biodegradable Disposable Gloves -Detailed Light Work

For very detailed light work, providing better dexterity
Powder-free • 4 mil

NO.	SIZE	COLOR	QTY/BOX
D611007	SMALL	GREEN	100
D611008	MEDIUM	GREEN	100
D611009	LARGE	GREEN	100
D611010	X-LARGE	GREEN	100

### **Disposable Gloves - Very Light Work**

• For very light work that only requires minimum protection

• Natural latex glove, right or left hand

• Resist splashes (dyes, paint and non-hazardous products)

• 5 mil

-			
NO.	SIZE	COLOR	QTY/BOX
D50057	SMALL	WHITE	100
D50058	MEDIUM	WHITE	100
D50059	LARGE	WHITE	100
D500510	X-LARGE	WHITE	100

### Disposable Powder Free Latex Gloves - 6 mils

• Textured palm for enhanced grip

rextered paint for enhanced grip				
NO.	SIZE	COLOR	QTY/BOX	
D2456DL	LARGE	BLUE	50	
D2456DXL	X-LARGE	BLUE	50	
D2456DXXL	2X-LARGE	BLUE	50	

### Disposable Powder Free Latex Gloves - 7 mils

• Textured palm for enhanced grip

· · · · · · · · · · · · · · · · · · ·				
NO.	SIZE	COLOR	QTY/BOX	
D2457DL	LARGE	ORANGE	50	
D2457DXL	X-LARGE	ORANGE	50	
D2457DXXL	2X-LARGE	ORANGE	50	

### Disposable Powder Free Latex Gloves - 8 mils

• Textured palm for enhanced grip

NO.	SIZE	COLOR	QTY/BOX
D2458DL	LARGE	BLACK	50
D2458DXL	X-LARGE	BLACK	50
D2458DXXL	2X-LARGE	BLACK	50

# Disposable Powder Free Latex Gloves - 11 mils • Extended cuff

NO.	SIZE	COLOR	QTY/BOX
D33411L	LARGE	BLUE	50
D33411XL	X-LARGE	BLUE	50

### Disposable Gloves - Detailed & Dexterity Work

For very detailed light work, providing better dexterity
 Powder-Free
 8 mil

• Fowder-free	• 8 1111		
NO.	SIZE	COLOR	QTY/BOX
D80058	MEDIUM	BLUE	50
D80059	LARGE	BLUE	50
D800510	EXTRA-LARGE	BLUE	50



### SECTION F

### **Disposable Gloves - Ultra-Light Work**

- Ultra-light maintenance work that only requires minimum protection
- Lightly powdered
- 5 mil

NO.	SIZE	COLOR	QTY/BOX
D20057	SMALL	NATURAL	100
D20058	MEDIUM	NATURAL	100
D20059	LARGE	NATURAL	100
D200510	EXTRA-LARGE	NATURAL	100

### **Reusable Gloves - NITRI-FLEX LITE**

- Used in general work
- Nylon knit glove, reusable, the most flexible on the market
- Excellent resistance to cuts, scratches and wear

NO.	SIZE	COLOR	QTY/BOX
D45007	SMALL	GREEN	12 PAIRS
D45008	MEDIUM	GREEN	12 PAIRS
D45009	LARGE	GREEN	12 PAIRS
D450010	X-LARGE	GREEN	12 PAIRS

### Insulated Atlas ThermaFit Gloves

A seamless, warm fleece-lined shell combines warmth, lightness, and flexibility perfect for cold weather environments. Unrivaled in both dry and wet conditions, they are the ideal gloves for cold weather or when superior protection from punctures is required.

NO.	SIZE	COLOR	QTY/BOX
D4518	MEDIUM	GRAY	1 PAIR
D4519	LARGE	GRAY	1 PAIR
D45110	EXTRA-LARGE	GRAY	1 PAIR

### **Knit Picker Gloves**

Fully-coated PVC with seamless knit cotton liner. For general use.				
NO. SIZE COLOR QTY/BOX				
D9619	LARGE	YELLOW	12 PAIRS	
D96110	EXTRA-LARGE	YELLOW	12 PAIRS	

### **Biodegradable Chemical-resistant Gloves**

Protection against chemicals, solvents and acids
15 mil

• 13 1111			
NO.	SIZE	COLOR	QTY/BOX
D73108	MEDIUM	GREEN	12 PAIRS
D73109	LARGE	GREEN	12 PAIRS
D73110	EXTRA-LARGE	GREEN	12 PAIRS

### Seamless Rubber-Coated Palm Gloves

General purpose for handling wood, glass, metal, or melamine panels.

NO.	SIZE	COLOR	QTY/BOX
D3107	SMALL	GREEN	6 PAIRS*
D3108	MEDIUM	GREEN	6 PAIRS*
D3109	LARGE	GREEN	6 PAIRS*
D31010	EXTRA-LARGE	GREEN	6 PAIRS*

All products are sold by unit except those shown with an \*. These are sold by box.













**KICHEIIEU** richelieu.com



### SECTION F













### **Polyester and Cotton Gloves**

 No.
 SIZE
 COLOR
 QTY/BOX

 D0661M
 MEDIUM
 WHITE
 12 PAIRS

 D0661L
 LARGE
 WHITE
 12 PAIRS

### **Polyester with Nitrile Dipping Gloves**

Excellent grip

High dexterity

- mgn acktern	cy.		
NO.	SIZE	COLOR	QTY/BOX
D1185QP	ONE SIZE	RED/BLACK	10 PAIRS

### Polyester with Latex Foam Dipped Palm Gloves

High visibility

• 13 gauge

NO.	SIZE	COLOR	QTY/BOX
D1144SM	SMALL/MEDIUM	ORANGE/BLACK	12 PAIRS
D1144LXL	LARGE/X-LARGE	ORANGE/BLACK	12 PAIRS

### Polyurethane Dipped-on Industrial Cut-Resistant Gloves • High cut resistance capability

• Figh cut resistance capability				
NO.	SIZE	COLOR	QTY/BOX	
D1261L	LARGE	GRAY, SALT AND PEPPER	12 PAIRS	
D1261XL	X-LARGE	GRAY, SALT AND PEPPER	12 PAIRS	

### **Biodegradable Multi-Purpose Knit Gloves**

Snag, puncture and abrasion resistant. Superior grip in dusty and oily applications. Lightweight 15-gauge seamless polyester knit liner with biodegradable nitrile coating.

NO.	SIZE	COLOR	QTY/BOX
D455207	SMALL	GREEN	1 PAIR
D455208	MEDIUM	GREEN	1 PAIR
D455209	LARGE	GREEN	1 PAIR
D455210	X-LARGE	GREEN	1 PAIR

### **Dual Latex Breathable Gloves**

• Protects against the cold, liquids, dirt and general handling hazards

Seamless aerated latex foam coating reduces perspiration for maximum comfort
 13 gauge

NO.	SIZE	COLOR	QTY/BOX
D30606	SMALL	BLACK/BLUE	12 PAIRS
D30607	MEDIUM	BLACK/BLUE	12 PAIRS
D30608	LARGE	BLACK/BLUE	12 PAIRS
D30609	X-LARGE	BLACK/BLUE	12 PAIRS



# Safety

### Self-Healing Ballistic Apron

- Rugged ballistic nylon
- Long, fully adjustable straps
  Rivets at critical wear points
- Self-healing pockets
- Custom pockets for earplugs

NO.	COLOR	QTY/BOX
918861	GREEN	60
918846	BLACK	60

### **Coverall Protection**

- Basic protection against light splashes and hazardous dusts
- Elastic hood, waist, ankles and wrists for convenient safe wear and movement
- Two-way zipper with storm flap for extra convenience and protection from contaminants
- Anti-static coating on the inner and outer surfaces for increased protection in critical areas
- 5/6 Type (protects against hazardous dusts (Type 5) and certain light liquid splashes (Type 6). CE approved under PPE Directive (89/686/ECC), Category III.

### Entry Level 4510

- · Made of quality-laminated micro porous polypropylene
- Low-linting

NO.	SIZE	QTY/BOX
9609241	LARGE	20
9609242	X-LARGE	20
9609243	2X-LARGE	20

### High Performance 4540

- Made of quality non-woven laminated microporous polypropylene material for reduced heat stress and comfortable wear
- Protection against nuclear particles
- Knit cuffs
- Three-piece elastic hood for improved fit
- Reinforced gusset for increased robustness
- Breathable back panel for improved air circulation and reduced heat stress

NO.	SIZE	QTY/BOX
9609251	LARGE	20
9609252	X-LARGE	20
9609253	2X-LARGE	20
9609254	3X-LARGE	20











All products are sold by unit except those shown with an \*. These are sold by box.



### SECTION F

**Protective Clothi** 

SECTION G



Richelieu Lateral Part Cart		
<ul> <li>A flexible, heavy-duty, lumber delivery system</li> </ul>		
LOAD CAPACITY	QTY/BOX	
2 000 LB (907 KG)	1	
	eavy-duty, lumber delivery system	

Wood Do	lly	
• 16" × 24" •	<ul> <li>3" casters</li> </ul>	
NO.	LOAD CAPACITY	QTY/BOX
91294304	661 LB (300 KG)	1

Stacking	Dolly	
• 3" × 1 1/4"	hard rubber casters	
NO.	LOAD CAPACITY	QTY/BOX
91294305	1 000 LB (453.5 KG)	1

Richelieu	Drying Rack	
	, 25 on each side y 5" casters with a break	
NO.	CAPACITY/SHELVE	QTY/BOX
9129450	20 LB (9.07 KG)	1
	(	

### **Richelieu Drying Rack 2.0**

Innovative solution. For all your trim and door drying needs. Can be customized to fit any length or thickness • 4 rugged 5 " wheels (2 with brakes)

- 2 7/8" spacing between the horizontal rods
  Overall height: 65"
- Base: 37" × 26"
- All-metal construction

Electrostatic paint finish

NO.	CAPACITY/SHELVE	QTY/BOX
9129451	20 LB (9.07 KG)	1

### Richelieu Woodrack Storage System

Provides generous storage capacity for timber, pipes and other long items. For internal or external mounting applications in workshops, garages, sheds, on fences and walls, etc.

- 6 storage levels
- Easy installation
- 2 brackets per box

NO.	LOAD CAPACITY	QTY/BOX
9129009	110 LB (50 KG) OF MATERIAL PER LEVEL	1





G54



# Handling Trolley • Superior stability • Easy handling • Light and durable NO. LOAD QTY/

NO.	CAPACITY	BOX	
ROLLER	1000 LB (453.5 KG)	1	



SECTION G

Speed Skate		
It easily supports $4' \times 8'$ sheets of material up to 1 3/4" wide.		
NO.	LOAD CAPACITY	QTY/BOX
919107	500 LB (226.8 KG)	1

n Fr





### Clip Panel Roller

The Clip Panel Roller clips to any sheet of material of up to 1 1/4" wide allowing to move up to 500 lb in tight and narrow spaces with ease.

NO.	LOAD CAPACITY	QTY/BOX
919117	WITH CLIPS	1



- Durable metal handle
- Fast attachment on smooth, nonporous flat surfaces
- Red-line indicator warns user of any vacuum loss
- Check valve allows repumping without loss of remaining vacuum
- Release valve lever permits quick and complete release
- Eligible for Power-Grip Exchange Program

NO.	Ø	LOAD CAPACITY	QTY/BOX
914791500	8″	150 LB (68 KG)	1
914791700	9″	125 LB (57 KG)	1

**POWR-GRIP Vacuum Cup with ABS Handle** 

- Lightweight, heavy-duty ABS handle
- · Fast attachment on smooth, nonporous flat surfaces
- Red-line indicator warns user of any vacuum loss
- · Check valve allows repumping without loss of remaining vacuum
- Release valve lever permits quick and complete release
- Easily replaceable handle / release valve and plunger

NO.	Ø	LOAD CAPACITY	QTY/BOX
914791400	8″	125 LB (57 KG)	1

All products are sold by unit except those shown with an \*. These are sold by box.





ichelieu.com

G55

...



FastCap

**G**56





### HOD Handle on Demand

NO. LOAD CAPACITY DESCRIPTION QTY/BOX				
918827	200 LB (90.72 KG)	DOUBLE	1	
918828	100 LB (45.36 KG)	SINGLE	1	

### **Concave Vacuum Cup with Vertical Handle**

• Lift tabs on vacuum pad edges permit instant release

NO.	Ø	LOAD CAPACITY	QTY/BOX
914791380	6″	66 LB (30 KG)	1

LegUp™ Table Saw Panel-Lifting Accessory			
Mounts quickly and easily to the edge of your table saw or to the fence rail.			
NO. QTY/BOX			
911099281	1		





### "3<sup>RD</sup> HAND" and "LITTLE HAND" Levelers

These innovative products remove all the hassle of supporting cabinets during the installation. Capacity: 150 lb (68 kg)

	-		
NO.	DESCRIPTION	EXTENSION	QTY/BOX
913550	"3RD HAND" LEVELER	5" TO 12"	1
918927 <sup>*</sup>	"3RD HAND" LEVELER SYSTEM	5" TO 12"	1
913515	"LITTLE HAND" LEVELER	16.5" TO 22.8"	1
918926**	"UPPER HAND" LEVELER SYSTEM	28" TO 60"	1
913513***	3RD HAND "LITTLE HAND" XL	23.5" TO 38"	1

\* Includes (2) 3RD Hands, (4) 6"x 6" Universal Feet, Ballistic nylon carrying bag.

- \*\* Includes (2) Upper Hands, (4) 6"x 6" Universal Feet, Ballistic nylon carrying bag.
- \*\*\*Includes (2) Litte Hands, (4) 6"x 6" Oversized Feet, Ballistic nylon carrying bag.



SECTION G



NO.

9125RICKSJIG

9125TPGFA68

### Puck Light Jig - MAJIG Light

Quickly and accurately install LED puck lights in 5/8" and 3/4" panels. Includes 3/8" bit allows for wires and connectors to route through panels for hidden installation and seamless appearance.

DESCRIPTION

PUCK LIGHT INSTALLATION

ADDITIONAL 2 5/8" BIT



QTY/BOX

n f f

1

1



Precis	ion Jid	<b>Systems</b>

### Includes :

- 1 T-square with center bushing
- 1 top stop
- 2 sliding guides

•	Standard		mm	drill	bit
---	----------	--	----	-------	-----

NO.	DESCRIPTION	QTY/BOX
9125TP1934	FOR HANDLES & KNOBS : 1 END STOP	1
9125TP1935	BASIC WITH LINE BORING EXTENSIONS : 2 END STOPS, 2 EXTENSION BARS	1
9125TPGFA68	ADDITIONAL 2 5/8" BIT	1



**G57** 

### Laminate Rollers

• Ideal for edges and small surfaces

	-			
NO.	DESCRIPTION	LENGTH	WIDTH	QTY/BOX
00031	ROLLER GENERAL USE	12"	3"	1
00032	ROLLER "J" CURVED	15"	3"	1
00033	Roller Adjustable handle	18" TO 27"	7 1/4"	1
00034	SEAM ROLLER	9"	2"	1

### Replacement Roller for Laminate Roller

### Includes :

• 1 roller

• 2 clips

NO.	DESCRIPTION	WIDTH	QTY/BOX
00036	FOR GENERAL USE AND "J" CURVED ROLLERS	3"	1



All products are sold by unit except those shown with an \*. These are sold by box.



### SECTION G



Caulking G	uns		
Super Pow	verful		
NO.	DESCRIPTION	VOLUME	QTY/BOX
91343402	HIGH VISCOSITY	310 ML	1
Cradle Bar	rel		
Adjustable scre	w to cut thrust gaps.		
NO.	DESCRIPTION	VOLUME	QTY/BOX
91346829	MEDIUM VISCOSITY	310 ML	1
91343405	HIGH VISCOSITY	856 ML	1
Skeleton S	iteel		
Drip free device	<u>.</u>		
NO.	DESCRIPTION	VOLUME	QTY/BOX
91340496	THIN VISCOSITY	310 ML	1
Aluminum	Tube		
• 1 nozzle	• 1 piston		
NO.	DESCRIPTION	VOLUME	QTY/BOX
91340250	HIGH VISCOSITY	600 ML	1
<b>Cone Plast</b>	ic Nozzle		
NO.	COLOR	R	QTY/BOX
91340503	WHITE		1





### SUN-SPOT® Brand Catalytic Reactor

The energy produced can force dry or cure (within 3 minutes) any type of coating system, solvent or water-based formulation.

### Includes :

NO.

- 1 catalytic reactor
- 1 sun-spot support
- 1 adjustable tripod stand
- 1 adjustable strap
- 1 lighting base

### DESCRIPTION

9625100 CORDLESS, PORTABLE, LIGHT-WEIGHT, AND EASILY ADJUSTABLE 1

### Air Ring for SUN-SPOT®

The air ring allows the movement of compressed air in the infrared radiation. The displacement of air is warmed by the heat emitted by the catalyst pad, making the Sun-Spot unit Bi-energetic, infrared and convectional. This improvement was mainly developed for water based products (coatings).

NO.	DESCRIPTION	QTY/BOX
9625300	AIR RING	1 PAIR

All products are sold by unit except those shown with an \*. These are sold by box.



QTY/BOX

### SECTION G

**G**59





'ichelieu.com







BLADE-COTE contains NO SILICONE or petroleum oil. Will not stain wood or interfere with glues or finishes.

Reduces cutting friction by reducing saw or drill motor drag by up to 25%.

NO.	VOLUME	QTY/BOX
00026	10.75 OZ	12

### "GLIDE-COTE" Aerosol Lubricant

GLIDE-COTE contains NO SILICONE or petroleum oil. Will not stain wood or interfere with glues or finishes.

Perfect for table saw beds, drill presses, lathes, planers, band saws, miters, panel saws and all hand tools.

NO.	VOLUME	QTY/BOX
00027	10.75 OZ	12

### Bearing Lubricant

- Extends bearing life by 3 times
- Will unfreeze frozen bearings
- Ideal for router work on all wood and solid surface
- Perfect for locks, hinges, latches and casters

NO.	VOLUME	QTY/BOX
00025	5.5 OZ	12

### Industrial Silicone Lubricant

- Prevents sticking, speeds production, cuts down cleanup time
- Reduces friction on paper cutters, knives, drills, etc.
- · Helps equipment last longer and work harder
- Note: May affect raw material to be finished

NO.	VOLUME	QTY/BOX
D030065	12 OZ	12

### **Countertop & Granite Cleaner and Polish**

- Colorless, no wax build-up and pleasant fresh aroma
- Excellent results on all surfaces

NO.	VOLUME	QTY/BOX
1844TR	12 OZ (355 ML)	6

### "CABINET & WOOD MAGIC" Cleaner and Polish

- Cleans and beautifies wood kitchen cabinets and wood work
- Removes grease, grime and stains
- Hides scratches

NO.	VOLUME	QTY/BOX
1432	17 OZ	6

### "PERFECT BLEND™" Lacquer

Excellent adhesion over waxed and polished surfaces and areas contaminated with silicone.

NO.	DESCRIPTION	SHEEN	VOLUME
M1020705	DEAD FLAT	5-8 SHEEN	13.5 OZ (399.24 ML)
M1020710	FLAT	10-13 SHEEN	13.5 OZ (399.24 ML)
M1020720	MATTE	19-23 SHEEN	13.5 OZ (399.24 ML)
M1020740	SATIN	35-40 SHEEN	13.5 OZ (399.24 ML)
M1020760	SEMI-GLOSS	55-65 SHEEN	13.5 OZ (399.24 ML)
M1020780	GLOSS	80 SHEEN	13.5 OZ (399.24 ML)







### SECTION H

### **Stainless Steel Cleaner**

- Specially formulated for use on stainless steel fixtures, equipment or trim
- Cleans, polishes, protects stainless steel without scouring
- Removes old or heavy accumulation of greasy film, food spatter or oil stains

IMPORTANT: Not for use on cooking utensils

NO.	VOLUME	QTY/BOX
D010841	15 OZ	12

### **Glass Cleaner**

- The most versatile glass cleaner available cleans glass, windows, mirrors and windshields
- Dissolves dirt, grease, grit and grime
- Heavy-duty foam clings to vertical surfaces

<ul> <li>Contains perfume-grade alcohol for best performance</li> </ul>			
NO. VOLUME QTY/BOX			
D010308	19 OZ	12	

### **Plastic Cleaner**

- Cleans plastic surfaces. Repels finger smudges, dirt and dust.
- Contains no chemicals or abrasives that will cause damage to plastic.
- Anti-static, Anti-fog, Fast-drying, Non-streaking.

NO.	VOLUME	QTY/BOX
D010346	19 OZ	12

### Saw Blade Cleaner

Works in minutes. Cleans saws, router bits, shaper cutters of pitch and gum, etc. This effective cleaner is safe to use on carbide, high speed steel, stainless steel and cast iron surfaces.

NO.	VOLUME	QTY/BOX
D010355	18 OZ	12

### Silicone Spray

- Stops squealing, sticking and binding of machinery
- Dries rapidly, leaves no greasy or oily film
- Note: May affect raw material to be finished

NO.	VOLUME	QTY/BOX
D010368	11 OZ	12

### **Citrus All Purpose Cleaner**

For washable, painted surfaces, window sills, venetian blinds, all porcelain and tile surfaces. This product, formulated with orange citrus solvents, removes dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon marks and deodorizes as it cleans.

NO.	VOLUME	QTY/BOX
D010985	19 OZ	12

All products are sold by unit except those shown with an \*. These are sold by box.









CLEAN

cheli

GLAS













A revolutionary product that combines the power of a lubricant with the properties of a water-repellent. It contains no oil, grease, wax, petroleum distillates or detergent. It is colorless and won't stain. It stops squeaks, un-sticks just about anything, protects against rust and is an exceptional water repellent, and more.

NO.	VOLUME	QTY/BOX
JIG160110	11 OZ (311 G)	12

### JIG-A-LOO Non-Silicone Performa PTFE

This ultra-dry lubricant contains a synthetic polymer (polytetrafluoroethylene or PTFE) with superior adhesion to metal and wood surfaces that displaces moisture and instantly lubricates where wet lubricants cannot be used. It reduces friction and generally reduces wear-and-tear between moving parts for table saws, mitre saws and all wood working equipment.

NO.	VOLUME	QTY/BOX
JIG130110	11 OZ (311 G)	12

# JIG-A-CLEAN the New Heavy Duty Waterless & Rag-Free Hand Cleaner

Jig-A-Clean is very handy for a quick and easy cleanup. Keep a can in your car, in the garage, and in your backpack. Lose that dirt in seconds!

NO.	VOLUME	QTY/BOX
JIG70155	5.47 OZ (155 G)	6

### "URE-TOP" Hand Cleaner Kit - Soap & Dispenser

URE-TOP is a hand cleaner containing an abrasive. Its unique formula is combined with pumice scrubbers. It removes tough dirt and grease. USE: URE-TOP eliminates: Urethan, resin, epoxy, printing ink, tint, metal paint, enamel, lacguer, mastic, tar, and grease.

### Includes:

Pump

- Wall mount bracket
- 4 liters of URE-TOP soap

NO.	VOLUME	QTY/BOX
92302304	1 GAL (4L)	4

<b>Pumice Har</b>	nd Cleaner "URE-TOP"	
NO.	VOLUME	QTY/BOX
92301004	1 GAL (4L)	4

### 'Envirolab 61" Hand Cleaner Kit – Soap & Dispenser

The Envirolab foaming hand soap is soft on hands. Ideal for everyday use combined with our foam dispenser, Envirolab 61 produces an abundant and unctuous foam. Easy to rinse. It doesn't leave hands sticky. Formulated with natural biodegradable and safe ingredients for the environment. Meets the criteria CCD-104 from Ecologo.

- Soft on hands
- Thick, abundant foam
- Includes:
- Dispenser

4 liters of Envirolab 61 foam soap

NO.	VOLUME	QTY/BOX
92309304	1 GAL (4L)	1

"Envirolab 6	51" Hand Cleaner	
NO.	VOLUME	QTY/BOX
92306104	1 GAL (4L)	4







H62

NEW!







# **Packaging Products**

### SECTION H

**3**M

### **Cardboard Sealing Tape**

- For non-critical packaging and sealing
- This reliable, pressure-sensitive box-sealing tape can also be used
- with palletized loads
- Roll of 100 linear meter

NO.	WIDTH	COLOR	QTY/BOX	
36948100	2"	CLEAR	36	



### Packaging Tape Dispenser

- Box sealing, combining, reinforcing and bundling
- Core Diameter: 3" (76.20 mm)
  Maximum width: 2" (48 mm)
- Length meter: 50 to 132 m

		QTY/BOX
90300	GENERAL USE	24



Adjustable Stretch Film Dispenser		
Core Diameter	:: 3" (76.20 mm)	
NO.	ADJUSTABLE	QTY/B0X
12578	3" TO 5"	60



ichelieu.com

Adjustable Stretch Film Dispenser • Core Diameter: 3" (76.20 mm)	
Adjustable Stretch Film Dispenser	

6

### Stretch Wrap Roll

NO. 22276

• The thinner, stronger hand film in the market

12" TO 18"

• A premium-grade, cast co-extruded film that performs with less neckdown for better coverage

NO.	GAUGE	WIDTH	LENGTH	QTY/BOX
180033	20.3 MICRONS/80	3" (76 MM)	1500' (457 M)	18
180053	20.3 MICRONS/80	5" (127 MM)	1500' (457 M)	12
1651315	16.5 MICRONS/65	13" (330 MM)	1476' (450 M)	4
1651815	16.5 MICRONS/65	17" (428 MM)	1476' (450 M)	4

All products are sold by unit except those shown with an \*. These are sold by box.

H63







### LIKE RAGS Spunlace Roll - White

LIKE-RAGS are the ideal choice for applications that require resistance to solvents and virtually lint free wiping : applying solvents, wiping down and solvents for furniture stains.

- Perforated roll
- Sheets/Roll: 1035' (315.47 m)
- Item size: 10" × 13" (25.4 × 33 cm)

NO.	COLOR	QTY/BOX
922331012	WHITE	9

### LIKE RAGS Spunlace Roll - Blue

- Perforated roll
- Sheets/Roll: 1035' (315.47 m)
- Item size: 12" × 13" (25.4 × 33 cm)

NO.	COLOR	QTY/BOX
92233761	BLUE	9

### LIKE RAGS Spunlace Pop - up

A high performance non-woven towel Like Rags are designed for durability, strength and absorbency. Can be used in all cleaning and wiping situations - heavy duty cleaning, polishing or bondo removal along with adhesive cleaning. Like Rags are the ideal choice for applications that require solvent resistance and virtually lint-free wiping, including applying solvents and furniture stains.

NO.	COLOR	QTY/BOX
922337640	BLUE	125/PACK
922337246	WHITE	150/PACK



### Metal Wipes Roll Dispenser Stand

• System designed for industrial applications

NO.	COLOR	QTY/BOX
92233567	BLACK	1

### Wall-Mounting Jumbo Roll Dispenser

Includes: Mounting hardware

NO.	COLOR	QTY/BOX
92233569	BLACK	1



H64

NORTH RIVER Hand Paper Towels

SECTION H

<ul> <li>For all dispensers that take 8" core</li> </ul>			
NO.	COLOR	SIZE	QTY/BOX
92231870	МОКА	7.875" × 700' (20 CM × 213.36 M)	6*
92231378	NATURAL	7.5" × 775' (19.05 CM × 236.22 M) COMPATIBLE WITH DISPENSER 92231973	6*

### **DECOR Hand Paper Towels**

For all dispensers that take 8" core			
NO.	COLOR	LENGTH	QTY/BOX
92231756	NATURAL	205' (62.5 M)	24*
92231767	NATURAL	425' (129.5 M)	12*

# **DECOR Multifold Hand Paper Towels**

- Open size : 9.125" × 9.5" (23 × 24 cm) Fold size : 9.125" × 3.20" (23 × 8 cm)
- Items/Package: 250

- nems/ruckuge	. 250	
NO.	COLOR	QTY/BOX
92231751	NATURAL	16*

# **DECOR Single Fold Hand Paper Towels** Open size: 9.125" × 10.25" (23 × 26 cm) Fold size: 9.125" × 5.125" (23 × 13 cm) • Items/Package: 250

NO.	COLOR	QTY/BOX
92231750	NATURAL	16*


TANDEM Touchless Roll Towel Dispenser
• Item size: 12.5" × 15.25" × 9.75" (31.75 × 38.74 × 24.76 cm)
Capacity: 2 rolls

NO.	COLOR	QTY/BOX
92231973	GRAY	1

### TANDEM High-Capacity Bath Tissue Dispenser

- Item size: 6.96" × 6.98" × 12.39" (18 × 18 × 31 cm)
- Capacity: 2 rolls

NO.	COLOR	QTY/BOX
92231911	GRAY	1















chelieu


richelieu.com



0

Notes	







**CANADA** 

Tel.: 1 800 361-6000 | Fax: 1 800 363-0193

ALBERTA Calgary Edmonton

**BRITISH COLUMBIA** Kelowna Vancouver Victoria

MANITOBA Winnipeg

**NEW BRUNSWICK** Moncton

NEWFOUNDLAND St. John's

**NOVA SCOTIA** Halifax

### USA

Tel.: 1 800 619-5446 | Fax : 1 800 876-7454

CONNECTICUT Hartford

**FLORIDA** Dania Beach Hialeah Jacksonville Orlando Pompano Beach **Riviera Beach** Sarasota Tampa

GEORGIA Atlanta Savannah

ILLINOIS Chicago

INDIANA Indianapolis ONTARIO

### Barrie

Kitchener Mississauga Ottawa Sudbury Thunder Bay Toronto

### QUÉBEC

Laval Montréal Québec

SASKATCHEWAN Regina Saskatoon

KENTUCKY Louisville

MAINE Portland

MASSACHUSETTS Boston

**MICHIGAN** Detroit

**NEW JERSEY** Lincoln Park

**NEW YORK CITY** Long Island City New York

**NEW YORK - UPSTATE** Buffalo Syracuse

**NORTH CAROLINA** Charlotte Greensboro

оню Cincinnati

**SOUTH CAROLINA** Greenville

TENNESSEE Memphis Nashville

TEXAS Dallas Houston

WASHINGTON Seattle





SHOPE 3<sup>rd</sup> Edition 10-2016 Printed in Canada \$<u>3</u>

